



1251





Z-16

THE
DATES OF PUBLICATION

OF SOME OF THE

Zoological Works

OF THE LATE

JOHN GOULD, F.R.S.

COMPILED BY

FREDERICK HERSCHEL WATERHOUSE, A.L.S.,

LIBRARIAN TO THE ZOOLOGICAL SOCIETY OF LONDON.

LONDON:

R. H. PORTER, 6 TENTERDEN STREET, W.

1885.

Price 3s. 6d.

QL
674
D23
Birds
Ref.

THE .

DATES OF PUBLICATION

OF SOME OF THE

ZOOLOGICAL WORKS

OF THE LATE

JOHN GOULD, F.R.S.



FREDERICK HERSCHEL WATERHOUSE, A.L.S.,


LIBRARIAN TO THE ZOOLOGICAL SOCIETY OF LONDON.



LONDON:

R. H. PORTER, 6 TENTERDEN STREET, W.

1885.



PRINTED BY TAYLOR AND FRANCIS.
RED LION COURT, FLEET STREET.

CONTENTS.

	PAGE
PREFACE	v
BIOGRAPHICAL SKETCH OF THE LATE JOHN GOULD	vii
THE MAMMALS OF AUSTRALIA.....	1
A MONOGRAPH OF THE MACROPODIDÆ, OR FAMILY OF KANGAROOS	5
THE BIRDS OF GREAT BRITAIN	6
THE BIRDS OF ASIA	15
THE BIRDS OF AUSTRALIA	28
A MONOGRAPH OF THE TROCHILIDÆ, OR HUMMING-BIRDS	45
A MONOGRAPH OF THE ODONTOPHORINÆ, OR PARTRIDGES OF AMERICA	56
A MONOGRAPH OF THE TROGONIDÆ, OR TROGONS	58

P R E F A C E.

As the whole of Mr. Gould's folio series of Zoological Works bear the dates when they were completed, without any reference to the dates and contents of the parts in which the several species were figured (with the exception of the 'Birds of Asia,' which was completed by Mr. R. Bowdler Sharpe), and as I am afraid that before long it will be quite impossible to ascertain these dates, I have thought it might prove useful to record those that I have been able to obtain from their original covers; and should I get a sight of any not included in this list, to publish them on some future occasion. If we look, for instance, at the 'Mammals of Australia,' we shall find that all three volumes bear the date 1863; but the first part of this work appeared in the year 1845.

I am greatly indebted to Mr. R. H. Porter for aiding me in this work by saving for my inspection the whole of

Mr. Gould's works that have come into his hands during the last few years.

Though the main object of this little book is to record the dates of Mr. Gould's Works, I trust it may also prove useful to Zoologists as an Index.

BIOGRAPHICAL SKETCH *.



JOHN GOULD was born at Lyme, in Dorsetshire, in 1804, and in early life he passed several years under the care of the late Mr. J. T. Aiton, of the Royal Gardens at Windsor. In the year 1827 he came to London and became Taxidermist to the Zoological Society's Museum, where he had the good fortune to obtain the intimate friendship of Mr. N. A. Vigors, then one of the leading English naturalists; and through him John Gould received his first opportunity of appearing as an author. So rare were Himalayan birds in those days that a small collection was thought worthy of description by Mr. Vigors in the 'Proceedings' of the Zoological Society, and the figuring of these specimens was commenced by Mr. Gould under the title of 'A Century of Birds from the Himalayan Mountains.' By this time, however, an event had taken place which had an influence on the whole of his later life, viz. his marriage with Miss Coxen, the daughter of Mr. Nicholas Coxen of Kent. Besides her other accomplishments, Mrs. Gould was an admirable draughtswoman, and, from her husband's sketches, she transferred to stone the figures of the above-named work. Its success was so great that in 1832 the 'Birds of Europe' was commenced, and finished in five large folio volumes in 1837, while simultaneously, in 1834, he issued 'A Monograph of the Rhamphastidæ, or Family of Toucans,' and, in 1838, 'A Monograph

* Taken from 'Nature,' with slight alterations.

of the Trogonidæ, or Family of Trogons.' To the last he maintained his love for these birds, and one of his most recently finished works was a second edition of the last-mentioned Monograph. It is a curious fact that when John Gould proposed to publish his first work he applied to several of the leading firms in London, and not one of them would undertake to bring it out, so that it was only with reluctance that he began to issue the work on his own account. Besides these larger publications he had described the birds collected during the voyage of the 'Beagle' by his friend Mr. Darwin, and had contributed papers on other subjects to the Zoological Society's publications.

We now come to what we consider the most striking incident in Mr. Gould's life, one unsurpassed in its effects in the annals of ornithology. Beyond a few scattered descriptions by some of the older authors, and an account of the Australian birds in the museum of the Linnean Society by Messrs. Vigors and Horsfield, the birds of Australasia were very little known at the date we speak of. Accompanied therefore by his devoted wife, Mr. Gould proceeded in 1838 to study Australian birds in their own home, and he personally explored Tasmania, the islands in Bass's Straits, South Australia, and New South Wales, travelling 400 miles into the interior of the latter country. This voyage, specially undertaken for the purpose of obtaining an exact knowledge of Australian birds, must ever be reckoned as a distinct scientific achievement; and the accounts of the habits of some of the more remarkable species, such as the mound-building Megapodes and the Bower-birds, were quite triumphs in the way of field ornithology. Nests and eggs were collected as well as an excellent series of skins, both of mammals and birds; and here Mr. Gould's beautiful method of preparation was especially noticeable; some of his specimens, skinned more than thirty years ago, are as neat in appearance and as fresh as the day they were prepared. Returning in 1840, after two years' absence, he commenced

the great work on the 'Birds of Australia,' which makes seven folio volumes and occupied seven years in its production, being completed in 1848. One of the features of this work is the great increase in our knowledge of the range and habits of Petrels and other sea-birds, to which the author paid great attention during his travels, and is by far the most important, from an ornithological point of view, of all Gould's works.

Within a year of Mr. Gould's return from his adventurous voyage he had the misfortune to lose his wife, and for some time he was completely overwhelmed by his bereavement. His collectors in Australia too, about the same period, lost their lives; one of them, Mr. Gilbert, was killed during Dr. Leichhardt's expedition overland from Moreton Bay to Port Essington, and Mr. Drummond, while collecting in Western Australia, was also murdered by natives, and a third collector was killed by the explosion of a gun on one of the islands of Bass's Straits. It speaks volumes, however, for the zeal and energy with which Mr. Gould had prosecuted his researches in the Australian continent that very few birds (sufficient only to form a supplement in a single folio volume) have been discovered since he left the field of his labours in that quarter of the globe.

Another landmark in the career of this great ornithologist was the publication of his 'Monograph of the Trochilidæ, or Family of Humming-Birds.' These lovely little birds had been for a long time favourites with Mr. Gould, who gradually began to amass that fine collection which has been the admiration of naturalists for so many years. Taking advantage of the Great Exhibition of 1851, he obtained permission from the Zoological Society to erect at his own cost a large building in their gardens in the Regent's Park, where the collection was open to the public at a charge of sixpence per head. A considerable sum was realized by this exhibition, and a large number of subscribers to his monograph were obtained, including nearly all the royal families of

Europe. Though sketched by Mr. Gould himself (for even to the last days of his life he executed the designs for all his plates), the majority of the Humming-birds were placed on stone by Mr. Richter, who also did the same for Mr. Gould's next work, the 'Birds of Asia.' This work, though not completed at the time of his death *, is most valuable on account of the number of plates of species not figured elsewhere. The 'Mammals of Australia,' produced simultaneously with the last-mentioned work, deserved, in Mr. Gould's own opinion, more credit for its issue than perhaps any work he had done, because it touched upon a branch of zoology of which he never pretended to have any very exact knowledge. So large, however, had been his collections of Mammalia during his sojourn in Australia that some account of them seemed to be demanded, and he therefore published his large folio work; but the pecuniary results were less satisfactory than with any of his ornithological productions. His typical specimens of the Australian Mammalia are in the national collection. No sooner were the Humming-birds finished than his active brain conceived a new idea, to illustrate becomingly the birds of his native land, and he commenced the publication of the 'Birds of Great Britain.' Opinions may differ as to the merit of Mr. Gould's other works; volumes less ponderous than the folios which he adopted for the better figuring of the objects of the natural size may take their place with the student; but no work of greater beauty will be produced than that on which John Gould, returning in his later life to his first love, bestowed the fulness of his energy and the acme of his artistic talent. The care bestowed on the plates of this work was remarkable, the aim of the author being to produce a picture of the birds as they appeared in their natural haunts; and especial pains were bestowed on the young, particularly those of the

* Since been completed by Mr. R. Bowdler Sharpe, and forms seven volumes.

Wading-birds and Natatores. In this fine work most of the drawings were developed and placed on stone by Mr. W. Hart, who also executed all the plates of the later works.

In 1865 Mr. Gould republished his letterpress of the big work in an octavo form, under the title of 'A Handbook to the Birds of Australia,' but with all the additional species inserted in their proper families; these two volumes are therefore of great use to the student. After the completion of his work on 'British Birds,' Mr. Gould devoted himself to the continuation of the 'Birds of Asia' and the Supplement to the 'Birds of Australia,' until, in 1875, he commenced a work on the 'Birds of New Guinea,' which was to contain also descriptions of any new species that might be discovered in Australia or any part of the Australian region. Of the last-named work eleven parts have appeared, and it was left unfinished at his death, as well as the following works:— 'A Monograph of the Pittidæ, or Ant-Thrushes of the Old World' (one part published), and the Supplement to the 'Monograph of the Humming-Birds.'

The above list enumerates, I believe, all the works published by Mr. Gould, with the exception of the 'Icones Avium' (issued about 1838, and containing supplementary plates to his previous volumes, with descriptions of new species), 'A Monograph of the Odontophorinæ, or Partridges of America,' 'Synopsis of the Birds of Australia,' and 'A Monograph of the Macropodidæ,' published in 1841-42. In addition to the folio volumes he was also in the habit of publishing the introductions to his larger works in an octavo form.

The Mammals of Australia. By JOHN GOULD, F.R.S.
 &c. Dedicated by permission to HIS ROYAL
 HIGHNESS PRINCE ALBERT. 3 Vols. Folio.
 London, 1863.

[Published in 13 Parts, 1845-63. Part XIII. (May 1st, 1863) contains, besides two Plates, Titles for three Volumes; Dedication; Note to Dedication; List of Subscribers; Preface; Introduction; Lists of Plates for three Volumes; General Index; Directions to the Binder; 28 Sheets of Letterpress, descriptive of the life-sized heads of animals published in the preceding Parts.]

	Vol.	Plate.	Part.	Date.
<i>Acrobates pygmæus</i>	I.	28	ii.	1849
<i>Antechinus albipes</i>	I.	42	iv.	1852
— <i>apicalis</i>	I.	39	i.	1845
— <i>ferruginifrons</i>	I.	36	vi.	1854
— <i>flavipes</i>	I.	40	vi.	1854
— <i>fuliginosus</i>	I.	41	iv.	1852
— <i>leucogaster</i>	I.	38	vi.	1854
— <i>leucopus</i>	I.	35	xii.	1860
— <i>maculatus</i>	I.	44	iii.	1851
— <i>minutissimus</i>	I.	45	iv.	1852
— <i>murinus</i>	I.	43	iv.	1852
— <i>swainsoni</i>	I.	34	vi.	1854
— <i>unicolor</i>	I.	37	vi.	1854
<i>Arctocephalus lobatus</i> . .	III.	49	xii.	1860
<i>Belideus ariel</i>	I.	27	ii.	1849
— <i>breviceps</i>	I.	25	ii.	1849
— <i>flaviventer</i>	I.	23	i.	1845
— <i>notatus</i>	I.	26	xii.	1860
— <i>sciureus</i>	I.	24	i.	1845
<i>Bettongia campestris</i> . .	II.	66	iii.	1851
— <i>cuniculus</i>	II.	63	vi.	1854
— <i>grayii</i>	II.	64	vii.	1855
— <i>ogilbyi</i>	II.	62	iv.	1852

	Vol.	Plate.	Part.	Date.
<i>Bettongia penicillata</i>	II.	61	iv.	1852
— <i>rufescens</i>	II.	65	vii.	1855
<i>Canis dingo</i>	III.	51, 52	xi.	1859
<i>Chæropus castanotis</i>	I.	6	i.	1845
<i>Cuscus brevicaudatus</i>	I.	21	xii.	1860
<i>Dasyurus geoffroyi</i>	I.	51	iii.	1851
— <i>hallucatus</i>	I.	52	iii.	1851
— <i>maculatus</i>	I.	49	iii.	1851
— <i>viverrinus</i>	I.	50	iii.	1851
<i>Dendrolagus inustus</i>	II.	50	viii.	1856
— <i>ursinus</i>	II.	49	viii.	1856
<i>Dorcopsis bruni</i>	II.	51	x.	1858
<i>Dromicia concinna</i>	I.	30	i.	1845
— <i>gliriformis</i>	I.	29	i.	1845
<i>Echidna hystrix</i>	I.	2	iv.	1852
— <i>setosa</i>	I.	3	ii.	1849
<i>Halmaturus agilis</i>	II.	24, 25	ix.	1857
— <i>bennettii</i>	II.	16, 17	viii.	1856
— <i>billardieri</i>	II.	35, 36	xii.	1860
— <i>brachyurus</i>	II.	37, 38	vii.	1855
— <i>derbianus</i>	II.	29, 30	xi.	1859
— <i>dorsalis</i>	II.	26, 27	ix.	1857
— <i>greyi</i>	II.	18, 19	iv.	1852
— <i>manicatus</i>	II.	20, 21	iv.	1852
— <i>parma</i>	II.	28	viii.	1856
— <i>ruficollis</i>	II.	14, 15	vi.	1854
— <i>stigmaticus</i>	II.	33, 34	xii.	1860
— <i>thetidis</i>	II.	31, 32	ix.	1857
— <i>ualabatus</i>	II.	22, 23	ix.	1857
<i>Hapalotis albipes</i>	III.	1	v.	1853
— <i>apicalis</i>	III.	2	v.	1853
— <i>cervinus</i>	III.	10	v.	1853
— <i>conditor</i>	III.	6	ii.	1849
— <i>hemileucura</i>	III.	3	x.	1858
— <i>hirsutus</i>	III.	4	ix.	1857
— <i>longicaudata</i>	III.	8	i.	1845
— <i>mitchellii</i>	III.	9	i.	1845
— <i>murinus</i>	III.	7	v.	1853
— <i>penicillata</i>	III.	5	iii.	1851
<i>Hydromys chrysogaster</i>	III.	24	v.	1853
— <i>fuliginosus</i>	III.	27	v.	1853
— <i>fulvolavatus</i>	III.	25	v.	1853
— <i>leucogaster</i>	III.	26	v.	1853

	Vol.	Plate.	Part.	Date.
<i>Hypsiprymnus apicalis</i> . . .	II.	68	iii.	1851
— <i>gilberti</i>	II.	69	vi.	1854
— <i>murinus</i>	II.	67	vi.	1854
— <i>platyops</i>	II.	70	iii.	1851
<i>Lagorchestes conspicillatus</i> .	II.	59	xii.	1860
— <i>fasciatus</i>	II.	56	ii.	1849
— <i>hirsutus</i>	II.	58	ii.	1849
— <i>leichardti</i>	II.	60	v.	1853
— <i>leporoides</i>	II.	57	xi.	1859
<i>Macropus fuliginosus</i> . . .	II.	5	x.	1858
— <i>major</i>	II.	1, 2	ix.	1857
— <i>ocydromus</i>	II.	3, 4	xii.	1860
<i>Molossus australis</i>	III.	31	x.	1858
<i>Mus albocinereus</i>	III.	21	ii.	1849
— <i>assimilis</i>	III.	15	x.	1858
— <i>cervinipes</i>	III.	14	iv.	1852
— <i>delicatulus</i>	III.	23	vii.	1855
— <i>fuscipes</i>	III.	11	iii.	1851
— <i>gouldi</i>	III.	19	vii.	1855
— <i>lineolatus</i>	III.	18	ix.	1857
— <i>longipilis</i>	III.	13	vi.	1854
— <i>manicatus</i>	III.	16	x.	1858
— <i>nanus</i>	III.	20	x.	1858
— <i>novæ-hollandiæ</i>	III.	22	viii.	1856
— <i>sordidus</i>	III.	17	x.	1858
— <i>vellerosus</i>	III.	12	xi.	1859
<i>Myrmecobius fasciatus</i> . . .	I.	4	i.	1845
<i>Nyctophilus geoffroyi</i> . . .	III.	36, 37	v.	1853
— <i>timoriensis</i>	III.	39	xi.	1859
— <i>unicolor</i>	III.	38	xi.	1859
<i>Onychogalea frænata</i>	II.	54	ii.	1849
— <i>lunata</i>	II.	55	ii.	1849
— <i>unguifer</i>	II.	52, 53	xi.	1859
<i>Ornithorhynchus anatinus</i> . .	I.	1	vii.	1855
<i>Osphranter antilopinus</i> . . .	II.	8, 9	x.	1858
— <i>parryi</i>	II.	12, 13	iv.	1852
— <i>robustus</i>	II.	10, 11	x.	1858
— <i>rufus</i>	II.	6, 7	v.	1853
<i>Peragalea lagotis</i>	I.	7	i.	1845
<i>Perameles fasciata</i>	I.	8	ii.	1849
— <i>gunnii</i>	I.	9	xi.	1859
— <i>myosurus</i>	I.	10	i.	1845
— <i>nasuta</i>	I.	11	vii.	1855

	Vol.	Plate.	Part.	Date.
<i>Perameles obesula</i>	I.	12	viii.	1856
<i>Petaurista taguanoïdes</i> . . .	I.	22	v.	1853
<i>Petrogale brachyotis</i> . . .	II.	47	xi.	1859
— <i>concinna</i>	II.	48	viii.	1856
— <i>inornata</i>	II.	45, 46	xii.	1860
— <i>lateralis</i>	II.	41, 42	ix.	1857
— <i>penicillata</i>	II.	39, 40	v.	1853
— <i>xanthopus</i>	II.	43, 44	vii.	1855
<i>Phalangista canina</i>	I.	17	viii.	1856
— <i>cookii</i>	I.	18	viii.	1856
— <i>fuliginosa</i>	I.	15	ii.	1849
— <i>lanuginosa</i>	I.	20	x.	1858
— <i>viverrina</i>	I.	19	viii.	1856
— <i>vulpina</i>	I.	16	viii.	1856
<i>Phascogale calura</i>	I.	32	i.	1845
— <i>lanigera</i>	I.	33	viii.	1856
— <i>penicillata</i>	I.	31	i.	1845
<i>Phascolarectos cinereus</i> . . .	I.	13, 14	vi.	1854
<i>Phascalomys lasiorhinus</i> . . .	I.	59, 60	xiii.	1863
— <i>latifrons</i>	I.	57, 58	xi.	1859
— <i>wombat</i>	I.	55, 56	vii.	1855
<i>Podabrus crassicaudatus</i> . . .	I.	47	i.	1845
— <i>macrourus</i>	I.	46	ii.	1849
<i>Pteropus conspicillatus</i> . . .	III.	29	iii.	1851
— <i>funereus</i>	III.	30	ii.	1849
— <i>poliocephalus</i>	III.	28	ii.	1849
<i>Rhinolophus aurantius</i> . . .	III.	35	iii.	1851
— <i>cervinus</i>	III.	34	vi.	1854
— <i>megaphyllus</i>	III.	33	viii.	1856
<i>Sarcophilus ursinus</i>	I.	48	iii.	1851
<i>Scotophilus gouldi</i>	III.	40	vii.	1855
— <i>greyi</i>	III.	45	x.	1858
— <i>microdon</i>	III.	42	xii.	1860
— <i>morio</i>	III.	41	vii.	1855
— <i>nigrogriseus</i>	III.	44	viii.	1856
— <i>picatus</i>	III.	43	iv.	1852
— <i>pumilus</i>	III.	46	ix.	1857
<i>Stenorhynchus leptonyx</i> . . .	III.	50	xii.	1860
<i>Taphozous australis</i>	III.	32	vi.	1854
<i>Tarsipes rostratus</i>	I.	5	i.	1845
<i>Thylacinus cynocephalus</i> . . .	I.	53, 54	iii.	1851
<i>Vespertilio macropus</i>	III.	47	vii.	1855
— <i>tasmaniensis</i>	III.	48	x.	1858

A Monograph of the Macropodidæ, or Family of Kangaroos. By JOHN GOULD, F.R.S., F.Z.S., &c. Parts I., II. Folio. London, 1841-42.

[Published without List of Plates. Some of the Plates are the same as those published in the Second Volume of the Mammals of Australia; these I have indicated below.]

	Part.	Plate same as in	Plate.
<i>Bettongia cuniculus</i>	ii.		
— <i>fasciata</i>	ii.		
— <i>penicillata</i>	i.		
— <i>rufescens</i>	i.		
<i>Dendrolagus inustus</i>	ii.		
— <i>ursinus</i>	ii.		
<i>Halmaturus agilis</i>	ii.	Mamm. Austr. ii.	25
— <i>bennettii</i>	i.		
— <i>billardieri</i>	i.	Ditto.	36
— <i>derbianus</i>	i.	Ditto.	30
— <i>dorsalis</i>	i.	Ditto.	27
— <i>manicatus</i>	i.		
— <i>parryi</i>	ii.		
— <i>ruficollis</i>	ii.		
— <i>thetidis</i>	ii.	Ditto.	32
— <i>ualabatus</i>	ii.	Ditto.	23
<i>Hypsiprymnus gilbertii</i>	i.		
<i>Lagorchestes conspicillata</i>	ii.		
— <i>leporoides</i>	i.		
<i>Macropus frenatus</i>	i.		
— <i>fuliginosus</i>	ii.	Ditto.	5
— <i>laniger</i>	i.		
— <i>major</i>	i.	Ditto.	2
— <i>unguifer</i>	i.		
<i>Osphranter antilopinus</i>	ii.	Ditto.	9
— <i>brachyotis</i>	i.		
— <i>robustus</i>	i.		
<i>Petrogale inornata</i>	ii.	Ditto.	46
— <i>lateralis</i>	ii.	Ditto.	42
— <i>penicillata</i>	ii.		

The Birds of Great Britain. By JOHN GOULD, F.R.S.
&c. Dedicated to the RIGHT HONOURABLE ROW-
LAND, VISCOUNT HILL. 5 Vols. Folio. London,
1873.

[Published in 25 Parts, 1862-73. Part XXV. contains
Titles, Vols. I. to V.; Dedication; List of Subscribers;
Preface; Introduction; Lists of Plates, Vols. I. to V.; and
eight Plates of Young Birds, to be inserted in their proper
places in Vols. II. and III.]

	Vol.	Plate.	Part.	Date.
<i>Accentor alpinus</i>	II.	54	xiii.	1868
— <i>modularis</i>	II.	55	xiii.	1868
<i>Accipiter nisus</i>	I.	10	v.	1864
<i>Acrocephalus turdoides</i> . .	II.	72	xvii.	1870
<i>Actitis hypoleucos</i> . . .	IV.	58	iv.	1863
— <i>macularius</i>	IV.	59	xxiv.	1873
<i>Actiturus bartramius</i> . . .	IV.	63	xxii.	1872
<i>Actochelidon cantiaea</i> . .	V.	69	xxii.	1872
<i>Actodromas minuta</i> . . .	IV.	72	xvii.	1870
<i>Aëdon galactodes</i>	II.	53	xvii.	1870
<i>Ægialitis hiaticula</i> . . .	IV.	41	xxiii.	1873
— <i>minor</i>	IV.	42	xix.	1871
<i>Ægialophilus cantianus</i> . .	IV.	40	xxiii.	1873
<i>Ægiothus linaria</i>	III.	51	ix.	1866
— <i>rufescens</i>	III.	52	ix.	1866
<i>Alauda arborea</i>	III.	16	xvi.	1869
— <i>arvensis</i>	III.	15	xv.	1869
<i>Alca impennis</i>	V.	46	xxiv.	1873
— <i>torda</i>	V.	47	ix.	1866
<i>Alcedo ispida</i>	II.	10	vi.	1864
<i>Ampelis garrulus</i>	II.	21	ii.	1862
<i>Anas boschas</i>	V.	15	xxi.	1872
<i>Ancylocheilus subarquata</i> .	IV.	68	xxii.	1872
<i>Anser albifrons</i>	V.	4	xix.	1871
— <i>brachyrhynchus</i> . . .	V.	3	xix.	1871
— <i>ferus</i>	V.	1	xxiv.	1873
— <i>segetum</i>	V.	2	xxiv.	1873
<i>Anthus arboreus</i>	III.	14	ix.	1866
— <i>campestris</i>	III.	9	ix.	1866
— <i>cervinus</i>	III.	12	xxiii.	1873

	Vol.	Plate.	Part.	Date.
<i>Anthus obscurus</i>	III.	10	xi.	1867
— <i>pratensis</i>	III.	13	iii.	1863
— <i>richardii</i>	III.	8	xii.	1867
— <i>spinoletta</i>	III.	11	xi.	1867
<i>Aquila chrysaëtos</i>	I.	2	iii.	1863
— <i>nævia</i>	I.	3	xvii.	1870
<i>Archibuteo lagopus</i>	I.	7	vi.	1864
<i>Ardea cinerea</i>	IV.	20	viii.	1865
— <i>purpurea</i>	IV.	21	xxiii.	1873
<i>Ardetta minuta</i>	IV.	29	xx.	1871
<i>Arquatella maritima</i>	IV.	74	xv.	1869
<i>Astur palumbarius</i>	I.	9	xv.	1869
<i>Athene noctua</i>	I.	37	xi.	1867
<i>Bernicla brenta</i>	V.	7	xviii.	1870
— <i>leucopsis</i>	V.	5	xii.	1867
— <i>ruficollis</i>	V.	6	xviii.	1870
<i>Botaurus lentiginosus</i>	IV.	28	xxii.	1872
— <i>stellaris</i>	IV.	27	vi.	1864
<i>Brachyotus palustris</i>	I.	32	iv.	1863
<i>Branta rufina</i>	V.	22	xi.	1867
<i>Bubo maximus</i>	I.	30	ix.	1866
<i>Bubulcus russatus</i>	IV.	24	xx.	1871
<i>Budytes cinereocapilla</i>	III.	5	xxii.	1872
— <i>flava</i>	III.	4	xiv.	1868
— <i>rayi</i>	III.	3	xiv.	1868
<i>Buphus comatus</i>	IV.	25	ix.	1866
<i>Butalis grisola</i>	II.	19	iv.	1863
<i>Buteo vulgaris</i>	I.	6	iv.	1863
<i>Caccabis rubra</i>	IV.	14	xiii.	1868
<i>Calamodyta aquatica</i>	II.	76	xix.	1871
— <i>phragmitis</i>	II.	75	i.	1862
<i>Calamoherpe arundinacea</i>	II.	73	i.	1862
— <i>palustris</i>	II.	74	xxi.	1872
<i>Calandrella brachydactyla</i>	III.	21	xv.	1869
<i>Calidris arenaria</i>	IV.	66	xi.	1867
<i>Calobates sulphurea</i>	III.	6, 7	xiii.	1868
<i>Caprimulgus europæus</i>	II.	1	iii.	1863
— <i>ruficollis</i>	II.	2	xix.	1871
<i>Carduelis elegans</i>	III.	36	iv.	1863
<i>Carpodacus erythrinus</i>	III.	43	xix.	1871
<i>Casarca rutila</i>	V.	12	xvi.	1869
<i>Centrophanes lapponica</i>	III.	30	xii.	1867
<i>Certhia familiaris</i>	II.	64	xiii.	1868

	Vol.	Plate.	Part.	Date.
<i>Chamophilus biarmicus</i> . . .	II.	30	i.	1862
<i>Charadrius pluvialis</i> . . .	IV.	38, 39	v.	1864
<i>Chaulelasmus strepera</i> . . .	V.	19	xiii.	1868
<i>Chelidon urbica</i>	II.	6	xv.	1869
<i>Chroicocephalus philadelphia</i>	V.	65	xxiv.	1873
— <i>ridibundus</i>	V.	64	xxiv.	1873
<i>Chrysomitris spinus</i>	III.	37	xii.	1867
<i>Cichloselys sibiricus</i>	II.	40	xxiii.	1873
<i>Ciconia alba</i>	IV.	30	xx.	1871
— <i>nigra</i>	IV.	31	xx.	1871
<i>Cinclus aquaticus</i>	II.	41	i.	1862
— <i>melanogaster</i>	II.	42	xix.	1871
<i>Circus æruginosus</i>	I.	24, 25	xiii.	1868
— <i>cinerascens</i>	I.	27	xii.	1867
— <i>cyaneus</i>	I.	26	xii.	1867
<i>Clangula glaucion</i>	V.	31	xv.	1869
<i>Coccothraustes vulgaris</i> . . .	III.	40	i.	1862
<i>Columba livia</i>	IV.	3	xviii.	1870
— <i>œnas</i>	IV.	2	ix.	1866
<i>Colymbus arcticus</i>	V.	44	vii.	1865
— <i>glacialis</i>	V.	43	vii.	1865
— <i>septentrionalis</i>	V.	45	vii.	1865
<i>Coracias garrula</i>	II.	11	ix.	1866
<i>Corvus corax</i>	III.	57	xii.	1867
— <i>cornix</i>	III.	59	xvii.	1870
— <i>corone</i>	III.	58	xviii.	1870
— <i>frugilegus</i>	III.	60	v.	1864
— <i>monedula</i>	III.	61	x.	1866
<i>Coturnix communis</i>	IV.	15	xx.	1871
<i>Cotyle riparia</i>	II.	7	iii.	1863
— (young)	II.	8	xxv.	1873
<i>Crex pratensis</i>	IV.	87	iii.	1863
<i>Crithophaga miliaria</i>	III.	26	xvi.	1869
<i>Cuculus canorus</i>	III.	67	v.	1864
— (young)	III.	68	xxv.	1873
<i>Curruca atricapilla</i>	II.	60	vii.	1865
— <i>hortensis</i>	II.	62	vii.	1865
— <i>orphea</i>	II.	61	xxi.	1872
<i>Cursorius gallicus</i>	IV.	44	ix.	1866
<i>Cyanecula leucocyana</i>	II.	50	xxiii.	1873
— <i>succica</i>	II.	49	viii.	1865
<i>Cygnus ferus</i>	V.	9	xxi.	1872
— <i>minor</i>	V.	10	xxi.	1872

	Vol.	Plate.	Part.	Date.
<i>Cygnus olor</i>	V.	8	xxi.	1872
<i>Cypselus apus</i>	II.	3	i.	1862
— <i>melba</i>	II.	4	xvi.	1869
<i>Dafila acuta</i>	V.	18	xv.	1869
<i>Dryocopus martius</i>	III.	73	xx.	1871
<i>Emberiza cirrus</i>	III.	23	x.	1866
— <i>citrinella</i>	III.	22	x.	1866
— <i>pusilla</i>	III.	25	xvii.	1870
— <i>rustica</i>	III.	24	xx.	1871
<i>Eniconetta stelleri</i>	V.	25	iv.	1863
<i>Enneoctonus collaris</i> . . .	II.	15	ii.	1862
— <i>rufus</i>	II.	16	ii.	1862
<i>Erythacus rubecula</i>	II.	48	x.	1866
<i>Erythropus vespertinus</i> . .	I.	20	xvi.	1869
<i>Erythrosteria parva</i>	II.	20	xvi.	1869
<i>Eudromias morinellus</i> . . .	IV.	43	i.	1862
<i>Euspiza melanocephala</i> . .	III.	28	xxi.	1872
<i>Falcinellus igneus</i>	IV.	47	xxi.	1872
<i>Falco æsalon</i>	I.	19	vii.	1865
— <i>candicans</i>	I.	13, 14, 15	xxii.	1872
— <i>gyrfalco</i>	I.	16	xxii.	1872
— <i>islandicus</i>	I.	11, 12	xxii.	1872
— <i>peregrinus</i>	I.	17	i.	1862
— <i>subbuteo</i>	I.	18	viii.	1865
<i>Ficedula hypoleis</i>	II.	71	vii.	1865
<i>Fratercula arctica</i>	V.	51	viii.	1865
<i>Fregilus graculus</i>	III.	62	xix.	1871
<i>Fringilla cœlebs</i>	III.	34	ii.	1862
— <i>montifringilla</i>	III.	35	ii.	1862
<i>Fulica atra</i>	IV.	84	i.	1862
<i>Fuligula cristata</i>	V.	23	xx.	1871
— <i>marila</i>	V.	24	xvi.	1869
<i>Galerita cristata</i>	III.	17	ix.	1866
<i>Gallinago major</i>	IV.	78	iv.	1863
— <i>scolopacina</i>	IV.	79	iv.	1863
<i>Gallinula chloropus</i>	IV.	85	ii.	1862
<i>Garrulus glandarius</i>	III.	64	i.	1862
<i>Gecinys viridis</i>	III.	74	xxv.	1873
— — (young)	III.	75	xxv.	1873
<i>Gelochelidon anglica</i>	V.	74	xx.	1871
<i>Glareola pratensis</i>	IV.	46	xviii.	1870
<i>Glottis canescens</i>	IV.	53	xv.	1869
<i>Glycyspina hortulana</i> . . .	III.	27	x.	1866

	Vol.	Plate.	Part.	Date.
<i>Grus cinerea</i>	IV.	19	xxiii.	1873
<i>Hæmatopus ostralegus</i> . . .	IV.	45	xviii.	1870
<i>Haliaëtus albicilla</i>	I.	4	iii.	1863
<i>Harelda glacialis</i>	V.	33	xvii.	1870
<i>Herodias alba</i>	IV.	22	xxiii.	1873
— <i>garzetta</i>	IV.	23	xviii.	1870
<i>Himantopus candidus</i> . . .	IV.	34	xviii.	1870
<i>Hirundo rustica</i>	II.	5	iii.	1863
<i>Histrionicus torquatus</i> . . .	V.	32	xv.	1869
<i>Hydrochelidon leucoparea</i> . .	V.	77	xiv.	1868
— <i>leucoptera</i>	V.	76	xiv.	1868
— <i>nigra</i>	V.	75	xiv.	1868
<i>Hydrocolæus minutus</i> . . .	V.	66	xvi.	1869
<i>Hydroprogne caspia</i>	V.	68	xxiv.	1873
<i>Lagopus mutus</i>	IV.	8, 9, 10	vi.	1864
— <i>scoticus</i>	IV.	7	xxiii.	1873
<i>Lanius excubitor</i>	II.	13	xiii.	1868
— <i>minor</i>	II.	14	xiii.	1868
<i>Larus argentatus</i>	V.	59	xxiv.	1873
— <i>canus</i>	V.	60	xi.	1867
— <i>fuscus</i>	V.	56	xix.	1871
— <i>glaucus</i>	V.	57	xxiv.	1873
— <i>islandicus</i>	V.	58	xxiv.	1873
— <i>marinus</i>	V.	55	xxiv.	1873
<i>Leimonites temminckii</i> . . .	IV.	73	xvii.	1870
<i>Ligurinus chloris</i>	III.	39	xv.	1869
<i>Limicola pygmæa</i>	IV.	75	xviii.	1870
<i>Limnocinclus pectoralis</i> . .	IV.	67	xviii.	1870
<i>Limnocryptes gallinula</i> . .	IV.	80	viii.	1865
<i>Limosa melanura</i>	IV.	50	xiv.	1868
— <i>rufa</i>	IV.	51	xiv.	1868
<i>Linota cannabina</i>	III.	49	xiv.	1868
— <i>montium</i>	III.	50	viii.	1865
<i>Lobipes hyperboreus</i>	IV.	83	x.	1866
<i>Locustella avicula</i>	II.	78	x.	1866
<i>Loxia bifasciata</i>	III.	47	v.	1864
— <i>curvirostra</i>	III.	45	v.	1864
— <i>leucoptera</i>	III.	48	v.	1864
— <i>pityopsittacus</i>	III.	46	v.	1864
<i>Luscinia philomela</i>	II.	56	xi.	1867
<i>Luscinia luscinioides</i> . . .	II.	77	ix.	1866
<i>Machetes pugnax</i> . [mage]	IV.	61	xix.	1871
— — (first autumn plu-	IV.	62	xxi.	1872

	Vol.	Plate.	Part.	Date.
<i>Macrorhamphus griseus</i> . . .	IV.	76	xxi.	1872
<i>Mareca penelope</i>	V.	13	xix.	1871
<i>Mecistura caudata</i>	II.	28	ii.	1862
— (young)	II.	29	xxv.	1873
<i>Melanocorypha calandra</i> . . .	III.	19	xxi.	1872
— <i>leucoptera</i>	III.	20	xx.	1871
<i>Melizophilus provincialis</i> . .	II.	59	ii.	1862
<i>Mergulus alle</i>	V.	50	xiv.	1868
<i>Mergus albellus</i>	V.	37	ii.	1862
— <i>castor</i>	V.	34	x.	1866
— <i>cucullatus</i>	V.	36	x.	1866
— <i>serrator</i>	V.	35	ii.	1862
<i>Merops apiaster</i>	II.	9	xi.	1867
<i>Merula torquata</i>	II.	38	xii.	1867
— <i>vulgaris</i>	II.	37	ix.	1866
<i>Milvus migrans</i>	I.	23	xxii.	1872
— <i>regalis</i>	I.	22	xiii.	1868
<i>Motacilla alba</i>	III.	2	xii.	1867
— <i>yarrelli</i>	III.	1	xii.	1867
<i>Muscicapa atricapilla</i> . . .	II.	17	iv.	1863
— <i>collaris</i>	II.	18	xxiii.	1873
<i>Neophron percnopterus</i> . . .	I.	1	xxi.	1872
<i>Nucifraga caryocatactes</i> . .	III.	65	viii.	1865
— (young)	III.	66	xxv.	1873
<i>Numenius arquata</i>	IV.	48	xv.	1869
— <i>phæopus</i>	IV.	49	xx.	1871
<i>Nyctale tengmalmi</i>	I.	36	xi.	1867
<i>Nyctea nivea</i>	I.	34	iv.	1863
<i>Nycticorax griseus</i>	IV.	26	xvii.	1870
<i>Nyroca ferina</i>	V.	20	xix.	1871
— <i>leucophthalmos</i>	V.	21	xxi.	1872
<i>Oedicnemus crepitans</i>	IV.	35	xv.	1869
<i>Oidemia fusca</i>	V.	29	xii.	1867
— <i>nigra</i>	V.	28	ii.	1862
— <i>perspicillata</i>	V.	30	xii.	1867
<i>Oreocincla aurea</i>	II.	39	xvi.	1869
<i>Oriolus galbula</i>	II.	31	vii.	1865
<i>Otis tarda</i>	IV.	17	v.	1864
— <i>tetrax</i>	IV.	18	v.	1864
<i>Otocoris alpestris</i>	III.	18	xviii.	1870
<i>Otus vulgaris</i>	I.	31	iv.	1863
<i>Oxylophus glandarius</i> . . .	III.	69	xx.	1871
<i>Pagophila eburnea</i>	V.	62	xvii.	1870

	Vol.	Plate.	Part.	Date.
<i>Palumbus torquatus</i>	IV.	1	xiv.	1868
<i>Pandion haliaëtus</i>	I.	5	xvii.	1870
<i>Parus ater</i>	II.	25	ii.	1862
— <i>cæruleus</i>	II.	24	ii.	1862
— <i>cristatus</i>	II.	26	xii.	1867
— <i>major</i>	II.	23	xi.	1867
<i>Passer domesticus</i>	III.	32	iv.	1863
— <i>montanus</i>	III.	33	iv.	1863
<i>Pastor roseus</i>	III.	55	vii.	1865
— (young)	III.	56	xxv.	1873
<i>Pelidna bonapartii</i>	IV.	71	xxiii.	1873
— <i>cinclus</i>	IV.	69, 70	xi.	1867
<i>Perdix cinerea</i>	IV.	13	xix.	1871
<i>Pernis apivorus</i>	I.	8	x.	1866
<i>Petrocincla saxatilis</i>	II.	44	xv.	1869
<i>Petrocosyphus cyanus</i>	II.	43	xxii.	1872
<i>Phalacrocorax carbo</i>	V.	52	xxiv.	1873
— <i>graculus</i>	V.	53	xxii.	1872
<i>Phalaropus fulicarius</i>	IV.	81, 82	x.	1866
<i>Phasianus colchicus</i>	IV.	12	xxiv.	1873
<i>Phyllopneustes rufa</i>	II.	66	i.	1862
— <i>sibilatrix</i>	II.	67	i.	1862
— <i>trochilus</i>	II.	65	i.	1862
<i>Pica caudata</i>	III.	63	ii.	1862
<i>Picus leuconotus</i>	III.	71	xxiii.	1873
— <i>major</i>	III.	70	iii.	1863
— <i>minor</i>	III.	72	iii.	1863
<i>Pinicola enucleator</i>	III.	44	xii.	1867
<i>Platalea leucorodia</i>	IV.	32	xiii.	1868
<i>Plectrophanes nivalis</i>	III.	31	xiii.	1868
<i>Podiceps auritus</i>	V.	40	xvii.	1870
— <i>cristatus</i>	V.	38	iii.	1863
— <i>minor</i>	V.	42	i.	1862
— <i>nigricollis</i>	V.	41	iii.	1863
— <i>rubricollis</i>	V.	39	iii.	1863
<i>Pœcile palustris</i>	II.	27	x.	1866
<i>Porzana maruetta</i>	IV.	88	vi.	1864
— <i>minuta</i>	IV.	90	vi.	1864
— <i>pygmæa</i>	IV.	89	vi.	1864
<i>Pratincola rubicola</i>	II.	47	vi.	1864
<i>Procellaria glacialis</i>	V.	82	xviii.	1870
<i>Puffinus anglorum</i>	V.	84	xiv.	1868
— <i>major</i>	V.	83	xvii.	1870

	Vol.	Plate.	Part.	Date.
<i>Pyrhula vulgaris</i>	III.	41	xi.	1867
— (young)	III.	42	xxv.	1873
<i>Querquedula circia</i>	V.	17	vii.	1865
— <i>crecca</i>	V.	16	vii.	1865
<i>Rallus aquaticus</i>	IV.	86	iii.	1863
<i>Recurvirostra avocetta</i> . .	IV.	52	v.	1864
<i>Reguloïdes superciliosus</i> .	II.	68	xv.	1869
<i>Regulus cristatus</i>	II.	69	iii.	1863
— <i>ignicapillus</i>	II.	70	iii.	1863
<i>Rhodostethia rossii</i>	V.	63	xxii.	1872
<i>Rissa tridactyla</i>	V.	61	xvi.	1869
<i>Ruticilla phœnicura</i>	II.	51	vi.	1864
— <i>tithys</i>	II.	52	vi.	1864
<i>Saxicola œnanthe</i>	II.	45	xiv.	1868
— <i>rubetra</i>	II.	46	vi.	1864
<i>Schœnicola arundinacea</i> . .	III.	29	vii.	1865
<i>Scolopax rusticola</i>	IV.	77	ix.	1866
<i>Scops zorca</i>	I.	33	xiii.	1868
<i>Serinus hortulanus</i>	III.	38	xviii.	1870
<i>Sitta cæsia</i>	II.	22	iii.	1863
<i>Somateria mollissima</i> . . .	V.	26	xvii.	1870
— <i>spectabilis</i>	V.	27	xvii.	1870
<i>Spatula clypeata</i>	V.	14	xx.	1871
<i>Squatarola helvetica</i> . . .	IV.	36, 37	xxi.	1872
<i>Stercorarius catarrhactes</i> .	V.	78	viii.	1865
— <i>longicaudus</i>	V.	81	viii.	1865
— <i>parasiticus</i>	V.	80	viii.	1865
— <i>pomatorhinus</i>	V.	79	viii.	1865
<i>Sterna hirundo</i>	V.	70	viii.	1865
— <i>macrura</i>	V.	72	viii.	1865
— <i>paradisea</i>	V.	71	xi.	1867
<i>Sternula minuta</i>	V.	73	viii.	1865
<i>Streptopelia interpres</i> . .	IV.	60	x.	1866
<i>Strix flammea</i>	I.	28	xvi.	1869
<i>Sturnus vulgaris</i>	III.	53	xiv.	1868
— (young)	III.	54	xxv.	1873
<i>Sula bassana</i>	V.	54	xxiv.	1873
<i>Surnia funerea</i>	I.	35	xi.	1867
<i>Sylvia cinerea</i>	II.	57	vii.	1865
— <i>curruca</i>	II.	58	vii.	1865
<i>Syrnium aluco</i>	I.	29	v.	1864
<i>Syrrhaptes paradoxus</i> . .	IV.	11	iv.	1863
<i>Tadorna vulpanser</i>	V.	11	xvi.	1869

	Vol.	Plate.	Part.	Date.
<i>Tetrao tetrix</i>	IV.	6	xx.	1871
— <i>urogallus</i>	IV.	5	xxi.	1872
<i>Thalassidroma leachii</i> . . .	V.	85	xvi.	1869
— <i>pelagica</i>	V.	86	xvi.	1869
<i>Tinnunculus alaudarius</i> . .	I.	21	ii.	1862
<i>Totanus calidris</i>	IV.	54	xix.	1871
— <i>fuscus</i>	IV.	55	xii.	1867
— <i>glareola</i>	IV.	57	xiv.	1868
— <i>ochropus</i>	IV.	56	viii.	1865
<i>Tringa canutus</i>	IV.	65	xxiii.	1873
<i>Troglodytes europæus</i> . . .	II.	63	iii.	1863
<i>Tryngites rufescens</i>	IV.	64	viii.	1865
<i>Turdus atrogularis</i>	II.	36	xix.	1871
— <i>iliacus</i>	II.	34	vi.	1864
— <i>musicus</i>	II.	32	ix.	1866
— <i>pilaris</i>	II.	35	vi.	1864
— <i>viscivorus</i>	II.	33	xv.	1869
<i>Turnix africanus</i>	IV.	16	xx.	1871
<i>Turtur auritus</i>	IV.	4	xviii.	1870
<i>Upupa epops</i>	II.	12	xiv.	1868
<i>Uria grylle</i>	V.	49	xvi.	1869
— <i>troile</i>	V.	48	xxiii.	1873
<i>Vanellus cristatus</i>	IV.	33	vii.	1865
<i>Xema sabini</i>	V.	67	x.	1866
<i>Yunx torquilla</i>	III.	76	i.	1862

The Birds of Asia. By JOHN GOULD, F.R.S. Dedicated to the HONOURABLE EAST INDIA COMPANY.
7 Vols. Folio. London, 1850-83.

[Published in 35 Parts, 1850-83. Part XXXV. contains 7 Plates; List of Subscribers; Preface; Introduction; and Lists of Plates and the Titles for Seven Volumes.]

	Vol.	Plate.	Part.	Date.
<i>Acanthiparus jouschistos</i>	II.	68	vii.	1855
— <i>niveogularis</i>	II.	67	vii.	1855
<i>Accentor altaicus</i>	IV.	49	x.	1858
— <i>atrogularis</i>	IV.	48	x.	1858
— <i>erythropygius</i>	IV.	43	xxiii.	1871
— <i>immaculatus</i>	IV.	45	vii.	1855
— <i>montanellus</i>	IV.	41	xxiii.	1871
— <i>nipalensis</i>	IV.	44	vii.	1855
— <i>rubeculoïdes</i>	IV.	46	vii.	1855
— <i>rubidus</i>	IV.	42	xxiii.	1871
— <i>strophiatius</i>	IV.	47	vii.	1855
<i>Actenoides concretus</i>	I.	42	xxix.	1877
— <i>hombroni</i>	I.	40	xxix.	1877
— <i>lindsayi</i>	I.	41	xxix.	1877
<i>Actinodura egertoni</i>	III.	56	xviii.	1866
— <i>nipalensis</i>	III.	57	xviii.	1866
— <i>ramsayi</i>	III.	59	xxxiii.	1882
— <i>waldeni</i>	III.	58	xxvii.	1875
<i>Ægithalus consobrinus</i>	II.	70	xxvi.	1874
— <i>flammiceps</i>	II.	71	xxx.	1877
<i>Aix galericulata</i>	VII.	69	iv.	1852
<i>Alcedo bengalensis</i>	I.	53	xiv.	1862
— <i>grandis</i>	I.	52	xxii.	1870
<i>Alcippe brunnea</i>	III.	66	xvi.	1864
<i>Allotrius melanotis</i>	II.	16	viii.	1856
— <i>xanthochloris</i>	II.	17	viii.	1856
<i>Ammoperdix bonhami</i>	VII.	1	iii.	1851
— <i>heyi</i>	VII.	2	iii.	1851
<i>Amydrus tristrami</i>	V.	45	xi.	1859
<i>Anorthura formosa</i>	IV.	52	xxxiv.	1883

	Vol.	Plate.	Part.	Date.
<i>Anthus cervinus</i>	IV.	66	xxi.	1869
<i>Argusianus argus</i>	VII.	52	xxxv.	1883
<i>Athene brodiei</i>	I.	15	xxii.	1870
<i>Bambusicola hyperythra</i> .	VI.	71	xxxi.	1879
— <i>sonorivox</i>	VI.	72	xvi.	1864
<i>Budytes citreoloides</i> . .	IV.	64	xvii.	1865
<i>Callene albiventris</i> . . .	III.	29	xx.	1868
<i>Calliope camtschatkensis</i> .	IV.	38	xxxi.	1879
— <i>pectoralis</i>	IV.	39	xxxi.	1879
— <i>tschebaiewi</i>	IV.	40	xxxi.	1879
<i>Calophasis ellioti</i>	VII.	23	xxvi.	1874
<i>Caprimulgus mahrattensis</i> .	I.	19	ii.	1850
<i>Carcineutes amabilis</i> . .	I.	50	xxxii.	1880
— <i>melanops</i>	I.	49	xxxii.	1880
— <i>pulchellus</i>	I.	48	xxxii.	1880
<i>Carduelis orientalis</i> . . .	V.	17	xxx.	1877
<i>Carpodacus rhodochlamys</i> .	V.	26	iv.	1852
— <i>roseus</i>	V.	33	xxxi.	1879
— <i>rubicilla</i>	V.	25	iv.	1852
<i>Catreus wallichii</i>	VII.	18	xvii.	1865
<i>Cecropis daurica</i>	I.	28	xx.	1868
— <i>erythropygia</i>	I.	29	xx.	1868
— <i>hyperythra</i>	I.	30	xx.	1868
— <i>rufula</i>	I.	27	xx.	1868
<i>Ceriornis blythi</i>	VII.	47	xxiv.	1872
— <i>caboti</i>	VII.	48	x.	1854
— <i>melanocephala</i>	VII.	45	vii.	1855
— <i>satyra</i>	VII.	49	xx.	1868
— <i>temmincki</i>	VII.	46	xxi.	1869
<i>Certhia himalayana</i> . . .	IV.	58	ii.	1850
— <i>nipalensis</i>	IV.	57	ii.	1850
<i>Chalcites hodgsoni</i> . . .	VI.	46	xxx.	1877
— <i>xanthorhynchus</i> . . .	VI.	47	xxx.	1877
<i>Chalcophasis sclateri</i> . [lus	VII.	55	xxv.	1873
<i>Chrysocolaptes xanthocephala</i> .	VI.	37	xxx.	1877
<i>Chrysophlegma flavinucha</i> .	VI.	36	i.	1850
<i>Cinclus asiaticus</i>	IV.	21	xii.	1860
— <i>cashmeriensis</i>	IV.	25	xii.	1860
— <i>leucogaster</i>	IV.	24	xii.	1860
— <i>pallasi</i>	IV.	22	xii.	1860
— <i>sordidus</i>	IV.	23	xii.	1860
<i>Cissa pyrrhocyanca</i> . . .	V.	53	i.	1850
— <i>venatoria</i>	V.	54	ix.	1857

	Vol.	Plate.	Part.	Date.
<i>Cochoa purpurea</i>	II.	2	i.	1850
— <i>viridis</i>	II.	1	i.	1850
<i>Columba intermedia</i>	VI.	56	xxxiv.	1883
— <i>leuconota</i>	VI.	55	xxvi.	1874
— <i>rupestris</i>	VI.	54	xxvi.	1874
<i>Conostoma æmodium</i>	III.	31	v.	1853
<i>Copsychus mindanensis</i> . . .	III.	25	xv.	1863
— <i>saularis</i>	III.	24	xv.	1863
— <i>suavis</i>	III.	26	xv.	1863
<i>Coracias affinis</i>	I.	55	xxi.	1869
— <i>indica</i>	I.	54	xxi.	1869
— <i>temmincki</i>	I.	56	xxi.	1869
<i>Corydon sumatranus</i>	I.	61	v.	1853
<i>Coturnix coromandelicus</i> . .	VII.	9	vi.	1854
<i>Crossoptilon auritum</i> . . .	VII.	22	xxii.	1870
<i>Crypsirhina cucullata</i> . . .	V.	52	xv.	1863
<i>Cuculus hyperythrus</i>	VI.	43	viii.	1856
— <i>strenuus</i>	VI.	42	viii.	1856
<i>Cursorius coromandelicus</i> .	VII.	65	viii.	1856
<i>Cutia nipalensis</i>	III.	67	viii.	1856
<i>Cymbirhynchus affinis</i> . . .	I.	60	v.	1853
— <i>macrorhynchus</i>	I.	59	v.	1853
<i>Cypselus infumatus</i>	I.	20	xxiv.	1872
<i>Dacelo tyro</i>	I.	51	xii.	1860
<i>Dasylophus superciliosus</i> .	VI.	44	xxviii.	1876
<i>Delichon nipalensis</i>	I.	31	xx.	1868
<i>Dendrochelidon comatus</i> . .	I.	25	xi.	1859
— <i>coronatus</i>	I.	21	xi.	1859
— <i>klecho</i>	I.	22	xi.	1859
— <i>mystaceus</i>	I.	24	xi.	1859
— <i>wallacei</i>	I.	23	xi.	1859
<i>Diardigallus praelatus</i> . . .	VII.	21	xii.	1860
<i>Dicaeum cruentum</i>	II.	38	vi.	1854
— <i>dorsale</i>	II.	37	xxx.	1877
— <i>pryeri</i>	II.	39	xxxiv.	1883
— <i>retrocinctum</i>	II.	36	xxvii.	1875
<i>Dromolæa opistholeuca</i> . . .	IV.	27	xvii.	1865
— <i>picata</i>	IV.	26	xvii.	1865
<i>Drymochares stellatus</i> . . .	III.	61	xxi.	1869
<i>Dumetia albogularis</i>	IV.	5	xii.	1860
— <i>hyperythra</i>	IV.	6	xii.	1860
<i>Elanus hypoleucus</i>	I.	12	xii.	1860
<i>Emberiza caniceps</i>	V.	6	vi.	1854

	Vol.	Plate.	Part.	Date.
<i>Emberiza cinerea</i>	V.	8	xxii.	1870
— <i>fucata</i>	V.	9	xxi.	1869
— <i>pusilla</i>	V.	7	xix.	1867
— <i>rustica</i>	V.	10	xxi.	1869
<i>Enicurus chinensis</i>	IV.	70	xviii.	1866
— <i>guttatus</i>	IV.	69	xviii.	1866
— <i>maculatus</i>	IV.	68	xviii.	1866
— <i>scouleri</i>	IV.	71	xviii.	1866
<i>Erythropus amurensis</i>	I.	8	xxxii.	1880
<i>Erythrospiza githaginea</i>	V.	31	xxxii.	1880
— <i>incarnata</i>	V.	30	xxix.	1877
— <i>obsoleta</i>	V.	29	xxix.	1877
<i>Euphonia melanura</i>	V.	19	iii.	1851
— <i>personata</i>	V.	18	iii.	1851
<i>Euplocamus lineatus</i>	VII.	14	xxvii.	1875
— <i>swinhoii</i>	VII.	16	xvi.	1864
— <i>vieilloti</i>	VII.	15	iv.	1852
<i>Eurynorhynchus pygmæus</i>	VII.	66	xxiv.	1872
<i>Eurylaimus javanicus</i>	I.	57	v.	1853
— <i>ochromelas</i>	I.	58	v.	1853
<i>Euspiza elegans</i>	V.	12	xxxii.	1880
— <i>luteola</i>	V.	14	xxii.	1870
— <i>melanocephala</i>	V.	13	xxii.	1870
<i>Excalfactoria chinensis</i>	VII.	6	xix.	1867
— <i>minima</i>	VII.	7	xix.	1867
<i>Falco babylonicus</i>	I.	4	xx.	1868
— <i>jugger</i>	I.	7	i.	1850
— <i>lanarius</i>	I.	6	xx.	1868
— <i>peregrinator</i>	I.	3	iii.	1851
— <i>sacer</i>	I.	5	xx.	1868
<i>Fringilla burtoni</i>	V.	16	i.	1850
<i>Gallinula phœnicura</i>	VII.	67	xxiv.	1872
<i>Galloperdix lunulosa</i>	VI.	69	vi.	1854
— <i>spadiceus</i>	VI.	68	vi.	1854
— <i>zeylonicus</i>	VI.	67	vi.	1854
<i>Gallus sonnerati</i>	VII.	56	xxx.	1877
<i>Garrulax chinensis</i>	III.	54	xxv.	1873
— <i>delesserti</i>	III.	48	xix.	1867
— <i>galbanus</i>	III.	52	xxvii.	1875
— <i>gularis</i>	III.	49	xix.	1867
— <i>picticollis</i>	III.	53	xxvi.	1874
— <i>pœcilorhyncha</i>	III.	51	xvi.	1864
— <i>ruficeps</i>	III.	50	xvi.	1864

	Vol.	Plate.	Part.	Date.
<i>Garrulus taivanus</i>	V.	58	xvi.	1864
<i>Gecinus tancolo</i>	VI.	35	xvi.	1864
<i>Gennæus nythemerus</i> . . .	VII.	17	xi.	1859
<i>Glareola lactea</i>	VII.	64	xxi.	1869
— <i>melanoptera</i>	VII.	63	ii.	1850
<i>Glycospiza huttoni</i>	V.	11	xxi.	1869
<i>Grandala coelicolor</i>	IV.	35	xiv.	1862
<i>Gyps bengalensis</i>	I.	2	iii.	1851
<i>Hæmatortyx sanguiniceps</i> .	VI.	70	xxx.	1879
<i>Hæmatospiza sipahi</i>	V.	24	iv.	1852
<i>Haleyon atricapillus</i>	I.	45	xii.	1860
— <i>fulgidus</i>	I.	46	xii.	1860
— <i>fusca</i>	I.	43	xiii.	1861
— <i>gularis</i>	I.	44	xiii.	1861
— <i>omnicolor</i>	I.	47	xii.	1860
<i>Harpactes ardens</i>	I.	76	xiv.	1862
— <i>diardi</i>	I.	70	xvii.	1865
— <i>duvauceli</i>	I.	67	xi.	1859
— <i>fasciatus</i>	I.	75	vi.	1854
— <i>hodgsoni</i>	I.	69	xvii.	1865
— <i>kasumba</i>	I.	74	viii.	1856
— <i>mackloti</i>	I.	73	xvii.	1865
— <i>oreskios</i>	I.	71	xvii.	1865
— <i>reinwardti</i>	I.	72	xvii.	1865
— <i>rutilus</i>	I.	68	xi.	1859
<i>Hemicercus concretus</i> . . .	VI.	19	xxviii.	1876
— <i>cordatus</i>	VI.	18	xxviii.	1876
— <i>hartlaubi</i>	VI.	20	xxviii.	1876
<i>Hesperiphona affinis</i>	V.	23	xx.	1868
— <i>icterioides</i>	V.	22	iii.	1851
<i>Hirundo filifera</i>	I.	26	xviii.	1866
<i>Hydrophasianus sinensis</i> . .	VII.	68	vii.	1855
<i>Hyloterpe philippinensis</i> . .	II.	12	xxxiii.	1882
<i>Hypsipetes nigerrima</i> . . .	III.	12	xvi.	1864
<i>Hypurolepis domicola</i> . . .	I.	32	xx.	1868
<i>Ianthocincla artemisiae</i> . . .	III.	45	xxv.	1873
— <i>austeni</i>	III.	47	xxv.	1873
— <i>lunulata</i>	III.	46	xxv.	1873
— <i>ocellata</i>	III.	44	xxv.	1873
<i>Ibidorhynchus struthersi</i> . .	VII.	61	viii.	1856
<i>Indicator xanthonotus</i> . . .	VI.	48	xxxv.	1883
<i>Irena criniger</i>	III.	20	xxxii.	1880
— <i>cyanea</i>	III.	19	xxxii.	1880

	Vol.	Plate.	Part.	Date.
<i>Irena cyanogastra</i>	III.	22	xxxiii.	1882
— <i>melanochlamys</i>	III.	23	xxxiii.	1882
— <i>puella</i>	III.	21	xxxiv.	1883
<i>Ithaginus cruentus</i>	VII.	43	iii.	1851
— <i>geoffroyi</i>	VII.	42	xxiv.	1872
<i>Ixulus castaneiceps</i>	IV.	11	xv.	1863
— <i>flavicollis</i>	IV.	13	xiv.	1862
— <i>occipitalis</i>	IV.	12	xiv.	1862
<i>Ixus sinensis</i>	III.	11	xxvi.	1874
<i>Iyngipicus aurantiiventris</i> .	VI.	23	xxxiii.	1882
— <i>auritus</i>	VI.	29	xxxiv.	1883
— <i>canicapillus</i>	VI.	27	xxxiv.	1883
— <i>doerriesi</i>	VI.	22	xxxiii.	1882
— <i>fulvifasciatus</i>	VI.	31	xxxiv.	1883
— <i>gymnophthalmus</i>	VI.	32	xxxv.	1883
— <i>hardwickii</i>	VI.	28	xxxiv.	1883
— <i>maculatus</i>	VI.	30	xxxiv.	1883
— <i>nanus</i>	VI.	34	xxxv.	1883
— <i>peninsularis</i>	VI.	33	xxxv.	1883
— <i>ramsayi</i>	VI.	24	xxxiii.	1882
— <i>scintilliceps</i>	VI.	21	xxxiii.	1882
— <i>semicoronatus</i>	VI.	26	xxxiv.	1883
— <i>temmincki</i>	VI.	25	xxxiii.	1882
<i>Lagenoplastes fluvicola</i> . . .	I.	33	xx.	1868
<i>Leioptila annectens</i>	III.	30	xxxiv.	1883
<i>Leiothrix argentauris</i> . . .	IV.	16	xiv.	1862
— <i>laurinæ</i>	IV.	17	xxxv.	1883
— <i>luteus</i>	IV.	15	iii.	1851
<i>Lepidogrammus cumingi</i> . .	VI.	45	xxviii.	1876
<i>Leptopœcile sophiæ</i>	II.	62	xxviii.	1876
<i>Lerwa nivicola</i>	VI.	75	vii.	1855
<i>Limonidromus indicus</i> . . .	IV.	67	xiv.	1862
<i>Lobiophasis bulweri</i>	VII.	13	xxvii.	1875
— <i>castaneicaudatus</i>	VII.	12	xxx.	1877
<i>Lophophorus impeyanus</i> . .	VII.	53	ii.	1850
— <i>Phuysi</i>	VII.	54	xxv.	1873
<i>Loxia himalayana</i>	V.	41	xiii.	1860
<i>Malacoturnix superciliosus</i> .	VII.	8	xx.	1868
<i>Mecistura glaucogularis</i> . .	II.	69	vii.	1855
<i>Megalæma franklinii</i>	VI.	50	xxii.	1870
— <i>nuchalis</i>	VI.	49	xvi.	1864
<i>Melanochlora sultanea</i> . . .	II.	51	xx.	1868
<i>Melanocorypha maxima</i> . .	IV.	72	xix.	1867

	Vol.	Plate.	Part.	Date.
<i>Meropogon forsteni</i>	I.	39	xxv.	1873
<i>Merops philippinus</i>	I.	36	vii.	1855
— <i>quinticolor</i>	I.	34	viii.	1856
— <i>viridis</i>	I.	35	vii.	1855
<i>Merula albocincta</i>	III.	6	xi.	1859
— <i>boulboul</i>	III.	7	xi.	1859
— <i>castanea</i>	III.	5	xi.	1859
— <i>unicolor</i>	III.	4	x.	1858
<i>Microperdix erythrorhyncha</i>	VII.	3	xiv.	1862
<i>Milvus govinda</i>	I.	11	iv.	1852
<i>Montifringilla adamsii</i> . .	V.	1	xix.	1867
— <i>arctoa</i>	V.	2	iii.	1851
— <i>brunneinucha</i>	V.	4	iv.	1852
— <i>hæmatopygia</i>	V.	3	iii.	1851
— <i>ruficollis</i>	V.	5	xxvii.	1875
<i>Motacilla dukhunensis</i> . .	IV.	62	xiii.	1861
— <i>maderaspatisensis</i> . .	IV.	61	v.	1853
— <i>personata</i>	IV.	63	xiii.	1861
<i>Muscipeta incei</i>	II.	19	iv.	1852
— <i>paradisi</i>	II.	18	iv.	1852
<i>Mycerobas carneipes</i> . . .	V.	21	iii.	1851
— <i>melanoxanthus</i>	V.	20	iii.	1851
<i>Myiophoneus (Arrenga) blighi</i>	III.	27	xxviii.	1876
— <i>insularis</i>	III.	28	xvi.	1864
<i>Myzanthe ignipectus</i> . . .	II.	40	vi.	1854
<i>Myzornis pyrrhoura</i> . . .	IV.	20	viii.	1856
<i>Nectarinia asiatica</i>	II.	32	viii.	1856
— <i>goalpariensis</i>	II.	29	ii.	1850
— <i>gouldiæ</i>	II.	26	xix.	1867
— <i>ignicauda</i>	II.	28	ii.	1850
— <i>insignis</i>	II.	25	xix.	1867
— <i>lotenia</i>	II.	33	viii.	1856
— <i>nipalensis</i>	II.	31	ii.	1850
— <i>osea</i>	II.	23	xix.	1867
— <i>saturata</i>	II.	27	xix.	1867
— <i>vigorsii</i>	II.	30	ii.	1850
— <i>zeylonica</i>	II.	24	xix.	1867
<i>Niltava grandis</i>	II.	20	ii.	1850
— <i>macgregoriæ</i>	II.	22	ii.	1850
— <i>sundara</i>	II.	21	ii.	1850
<i>Nucifraga multipunctata</i> .	V.	59	i.	1850
<i>Numenius rufescens</i> . . .	VII.	60	xvi.	1864
<i>Nyctiornis amictus</i> . . .	I.	38	ii.	1850

	Vol.	Plate.	Part.	Date.
<i>Nyctiornis athertoni</i> . . .	I.	37	ii.	1850
<i>Oriolus broderipi</i> . . .	II.	73	xxxi.	1878
— <i>chinensis</i> . . .	II.	72	xxx.	1877
<i>Orthotomus longicaudus</i> . .	IV.	7	xxv.	1873
<i>Otidiphaps nobilis</i> . . .	VI.	53	xxiii.	1871
<i>Otis macqueeni</i> . . .	VII.	58	iii.	1851
<i>Otogyps calvus</i> . . .	I.	1	xii.	1860
<i>Palæornis affinis</i> . . .	VI.	11	x.	1858
— <i>calthropæ</i> . . .	VI.	1	xxvi.	1874
— <i>caniceps</i> . . .	VI.	5	ix.	1857
— <i>columboïdes</i> . . .	VI.	7	x.	1858
— <i>cycanocephala</i> . . .	VI.	3	xxvi.	1874
— <i>derbianus</i> . . .	VI.	9	x.	1858
— <i>luciani</i> . . .	VI.	4	ix.	1857
— <i>malaccensis</i> . . .	VI.	10	x.	1858
— <i>nicobaricus</i> . . .	VI.	6	ix.	1857
— <i>rosa</i> . . .	VI.	2	xxvi.	1874
— <i>schisticeps</i> . . .	VI.	8	x.	1858
<i>Palumbus elphinstonei</i> . .	VI.	57	vi.	1854
— <i>pulchricollis</i> . . .	VI.	58	vi.	1854
<i>Paradoxornis austeni</i> . . .	III.	73	xxvi.	1874
— <i>flavirostris</i> . . .	III.	75	vi.	1854
— <i>gularis</i> . . .	III.	77	vi.	1854
— <i>heudei</i> . . .	III.	74	xxvi.	1874
— <i>ruficeps</i> . . .	III.	78	vi.	1854
— <i>unicolor</i> . . .	III.	76	vi.	1854
<i>Parus castaneoventris</i> . .	II.	49	xvi.	1864
— <i>cinereus</i> . . .	II.	55	x.	1858
— <i>dichrous</i> . . .	II.	58	xi.	1859
— <i>elegans</i> . . .	II.	50	xxx.	1877
— <i>jerdoni</i> . . .	II.	54	ix.	1857
— <i>melanolophus</i> . . .	II.	61	xi.	1859
— <i>minor</i> . . .	II.	56	x.	1858
— <i>monticolus</i> . . .	II.	57	x.	1858
— <i>rubidiventris</i> . . .	II.	59	xi.	1859
— <i>rufonuchalis</i> . . .	II.	60	xi.	1859
— <i>spilonotus</i> . . .	II.	53	ix.	1857
— <i>venustulus</i> . . .	II.	48	xxiii.	1871
— <i>xanthogenys</i> . . .	II.	52	ix.	1857
<i>Passer ammodendri</i> . . .	V.	15	xxiv.	1872
<i>Pellorneum palustre</i> . . .	III.	65	xxiv.	1872
<i>Perdica argoondah</i> . . .	VII.	5	xv.	1863
— <i>asiatica</i> . . .	VII.	4	xv.	1863

	Vol.	Plate.	Part.	Date.
<i>Perdix barbata</i>	VI.	73	xxiii.	1871
— <i>hodgsoniæ</i>	VI.	74	ix.	1857
<i>Pericrocotus cantonensis</i>	II.	4	xxvi.	1874
— <i>cinereus</i>	II.	11	ix.	1857
— <i>erythropygius</i>	II.	6	i.	1850
— <i>flammeus</i>	II.	8	ix.	1857
— <i>griseogularis</i>	II.	3	xvi.	1864
— <i>peregrinus</i>	II.	9	ix.	1857
— <i>roseus</i>	II.	10	ix.	1857
— <i>solaris</i>	II.	5	i.	1850
— <i>speciosus</i>	II.	7	ix.	1857
<i>Petrocincla erythrogastra</i>	III.	8	xv.	1863
<i>Phasianus chrysomelas</i>	VII.	36	xxviii.	1876
— <i>colchicus</i>	VII.	34	xxi.	1869
— <i>mongolicus</i>	VII.	41	x.	1858
— <i>reevesii</i>	VII.	33	xxi.	1869
— <i>scintillans</i>	VII.	38	xix.	1867
— <i>shawi</i>	VII.	35	xxviii.	1876
— <i>sœmmeringii</i>	VII.	37	xix.	1867
— <i>torquatus</i>	VII.	39	viii.	1856
— <i>versicolor</i>	VII.	40	ix.	1857
<i>Phlogœnas crinigera</i>	VI.	52	xviii.	1866
— <i>cruenta</i>	VI.	51	xviii.	1866
— <i>tristigmata</i>	VI.	59	xxv.	1873
<i>Phodilus badius</i>	I.	14	xxii.	1870
<i>Phyllopneuste tristis</i>	IV.	59	xvii.	1865
<i>Phyllornis cyanopogon</i>	III.	18	xiii.	1861
— <i>hardwicki</i>	III.	14	xiii.	1861
— <i>hodgsoni</i>	III.	15	xiii.	1861
— <i>javensis</i>	III.	13	xiii.	1861
— <i>jerdoni</i>	III.	17	xiii.	1861
— <i>malabaricus</i>	III.	16	xiii.	1861
<i>Pica bactriana</i>	V.	56	xv.	1863
— <i>bottanensis</i>	V.	57	xv.	1863
— <i>leucoptera</i>	V.	55	xiv.	1862
<i>Picus cabanisi</i>	VI.	17	ix.	1857
— <i>insularis</i>	VI.	16	xvi.	1864
<i>Pipastes agilis</i>	IV.	65	xvii.	1865
<i>Pitta arquata</i>	V.	69	xxiv.	1872
— <i>atricapilla</i>	V.	76	iv.	1852
— <i>baudii</i>	V.	72	xxix.	1877
— <i>bengalensis</i>	V.	64	xxiii.	1871
— <i>boschii</i>	V.	83	xxv.	1873

	Vol.	Plate.	Part.	Date.
<i>Pitta cærulea</i>	V.	81	xxx.	1877
— <i>coccinea</i>	V.	68	xxxi.	1879
— <i>cucullata</i>	V.	82	xxx.	1877
— <i>cyanea</i>	V.	80	i.	1850
— <i>cyanura</i>	V.	77	xv.	1863
— <i>elliotti</i>	V.	66	xxxi.	1879
— <i>granatina</i>	V.	67	xxxi.	1879
— <i>gurneyi</i>	V.	73	xxix.	1877
— <i>kochi</i>	V.	71	xxxii.	1880
— <i>megarhyncha</i>	V.	70	xxiv.	1872
— <i>nipalensis</i>	V.	79	i.	1850
— <i>oreas</i>	V.	65	xxiii.	1871
— <i>schwaneri</i>	V.	78	xv.	1863
— <i>steerii</i>	V.	74	xxix.	1877
— <i>ussleri</i>	V.	75	xxix.	1877
<i>Pluvianus ægyptius</i>	VII.	62	xvii.	1865
<i>Podoces biddulphi</i>	V.	60	xxvii.	1875
— <i>hendersoni</i>	V.	61	xxvii.	1875
— <i>humeralis</i>	V.	63	xxvii.	1875
— <i>panderi</i>	V.	62	xxvii.	1875
<i>Polyplectron bicalcaratum</i>	VII.	51	xxii.	1870
— <i>chinquis</i>	VII.	50	xxiii.	1871
<i>Pomatorhinus erythrocnemis</i>	III.	33	xvi.	1864
<i>Pratincola indica</i>	IV.	34	xv.	1863
— <i>leucura</i>	IV.	33	xviii.	1866
<i>Prioniturus discurus</i>	VI.	15	xiv.	1862
— <i>flavicans</i>	VI.	13	xiv.	1862
— <i>setarius</i>	VI.	12	xiv.	1862
— <i>spatuliger</i>	VI.	14	xiv.	1862
<i>Prionochilus vincens</i>	II.	41	xxxi.	1879
<i>Psaltia concinna</i>	II.	65	vii.	1855
— <i>erythrocephala</i>	II.	64	vii.	1855
— <i>exilis</i>	II.	63	vii.	1855
— <i>leucogenys</i>	II.	66	vii.	1855
<i>Psarapholus ardens</i>	II.	75	xxiii.	1871
— <i>trailli</i>	II.	74	xxiii.	1871
<i>Psarisomus dalhousiæ</i>	I.	64	v.	1853
<i>Pterocles coronatus</i>	VI.	63	iii.	1851
— <i>exustus</i>	VI.	64	ii.	1850
— <i>fasciatus</i>	VI.	65	ii.	1850
— <i>guttatus</i>	VI.	62	iii.	1851
<i>Pterorhinus davidi</i>	III.	55	xxiii.	1871
<i>Pteruthius æralatus</i>	II.	13	xxviii.	1876

	Vol.	Plate.	Part.	Date.
<i>Pteruthius erythropterus</i>	II.	14	viii.	1856
— <i>rufiventer</i>	II.	15	viii.	1856
<i>Pucrasia castanea</i>	VII.	27	vi.	1854
— <i>darwini</i>	VII.	25	xxvii.	1875
— <i>maculophaga</i>	VII.	26	vi.	1854
— <i>nipalensis</i>	VII.	28	vi.	1854
— <i>xanthospila</i>	VII.	24	xxi.	1869
<i>Pyrrhula aurantia</i>	V.	34	x.	1858
— <i>cineracea</i>	V.	40	xxvii.	1875
— <i>erithacus</i>	V.	39	xxxii.	1880
— <i>erythrocephala</i>	V.	36	v.	1853
— <i>major</i>	V.	38	xxxii.	1880
— <i>nipalensis</i>	V.	37	v.	1853
— <i>orientalis</i>	V.	35	v.	1853
<i>Regulus himalayensis</i>	IV.	60	xxi.	1869
<i>Rhodopechys sanguinea</i>	V.	28	xxix.	1877
<i>Rhodophila melanoleuca</i>	IV.	32	xviii.	1866
<i>Rhopophilus pekinensis</i>	IV.	3	xxv.	1873
<i>Rimator malacoptilus</i>	III.	60	xxii.	1870
<i>Ruticilla erythrogastra</i>	IV.	36	iii.	1851
— <i>erythroprocta</i>	IV.	37	viii.	1856
<i>Salpornis spilonota</i>	IV.	56	xx.	1868
<i>Sarcophanops steerii</i>	I.	65	xxx.	1877
<i>Sasia abnormis</i>	VI.	41	xxii.	1870
— <i>ochracea</i>	VI.	40	xxii.	1870
<i>Saxicola atrogularis</i>	IV.	31	xvii.	1865
— <i>capistrata</i>	IV.	28	xvii.	1865
— <i>leucomela</i>	IV.	29	xvii.	1865
— <i>montana</i>	IV.	30	xvii.	1865
<i>Scops pennatus</i>	I.	13	xxii.	1870
<i>Serilophus lunatus</i>	I.	62	v.	1853
— <i>rubropygius</i>	I.	63	v.	1853
<i>Sibia melanoleuca</i>	III.	32	xxxiii.	1882
<i>Sitta castaneoventris</i>	II.	45	i.	1850
— <i>cinnamomeoventris</i>	II.	44	i.	1850
— <i>formosa</i>	II.	43	i.	1850
— <i>himalayensis</i>	II.	47	i.	1850
— <i>leucopsis</i>	II.	46	i.	1850
— <i>nagaensis</i>	II.	42	xxvii.	1875
<i>Siva cyanouroptera</i>	IV.	19	xiv.	1862
— <i>strigula</i>	IV.	18	xiv.	1862
<i>Sphenocichla humii</i>	IV.	55	xxxiii.	1882
— <i>roberti</i>	IV.	54	xxxiii.	1882

	Vol.	Plate.	Part.	Date.
<i>Spilornis rufpectus</i> . . .	I.	9	xii.	1860
<i>Spizaëtus alboniger</i> . . .	I.	10	xv.	1863
<i>Spizixos canifrons</i> . . .	III.	9	xviii.	1866
— <i>semitorques</i> . . .	III.	10	xviii.	1866
<i>Stachyris pyrrhops</i> . . .	IV.	9	xv.	1863
— <i>ruficeps</i> . . .	IV.	10	xxv.	1873
<i>Staphida torqueola</i> . . .	IV.	8	xxiii.	1871
<i>Sterna melanogaster</i> . . .	VII.	70	xix.	1867
<i>Strix candida</i> . . .	I.	18	xxiv.	1872
— <i>indica</i> . . .	I.	17	xxiv.	1872
<i>Sturnus humii</i> . . .	V.	43	xxix.	1877
— <i>purpurascens</i> . . .	V.	44	xxii.	1870
— <i>unicolor</i> . . .	V.	42	xxix.	1877
<i>Suthora brunnea</i> . . .	III.	68	xxviii.	1876
— <i>fulvifrons</i> . . .	III.	71	iv.	1852
— <i>municipensis</i> . . .	III.	69	xxix.	1877
— <i>nipalensis</i> . . .	III.	70	iv.	1852
— <i>webbiana</i> . . .	III.	72	iv.	1852
<i>Suya lepida</i> . . .	IV.	4	vii.	1855
<i>Sylvia nana</i> . . .	IV.	50	xxvi.	1874
<i>Sypheotides auritus</i> . . .	VII.	57	xviii.	1866
<i>Syrnium ocellatum</i> . . .	I.	16	xxii.	1870
<i>Syrrhaptes paradoxus</i> . . .	VI.	60	xix.	1867
— <i>tibetanus</i> . . .	VI.	61	ii.	1850
<i>Tantalus leucocephalus</i> . . .	VII.	59	xiv.	1862
<i>Tesia castaneo-coronata</i> . . .	IV.	2	x.	1858
— <i>cyaneiventer</i> . . .	IV.	1	x.	1858
<i>Tetrao mlokosiewiczi</i> . . .	VI.	66	xxxi.	1879
<i>Tetraogallus altaicus</i> . . .	VII.	31	v.	1853
— <i>caspius</i> . . .	VII.	29	v.	1853
— <i>himalayensis</i> . . .	VII.	30	v.	1853
— <i>tibetanus</i> . . .	VII.	32	v.	1853
<i>Tetraophasis obscurus</i> . . .	VII.	44	xxvi.	1874
<i>Thaumalea amherstiae</i> . . .	VII.	20	xviii.	1866
— <i>picta</i> . . .	VII.	19	xviii.	1866
<i>Trochalopteron affine</i> . . .	III.	37	xxviii.	1876
— <i>blythii</i> . . .	III.	41	xxvi.	1874
— <i>cineraceum</i> . . .	III.	39	xxvii.	1875
— <i>elliottii</i> . . .	III.	42	xxv.	1873
— <i>formosum</i> . . .	III.	36	xxiv.	1872
— <i>melanostigma</i> . . .	III.	43	xxxiii.	1882
— <i>phœniceum</i> . . .	III.	35	xxiv.	1872
— <i>variegatum</i> . . .	III.	38	xxviii.	1876

	Vol.	Plate.	Part.	Date.
<i>Trochalopteron virgatum</i> .	III.	40	xxvii.	1875
<i>Troglodytes nipalensis</i> . .	IV.	51	iv.	1852
<i>Turdinulus roberti</i> . . .	III.	62	xxxiv.	1882
<i>Turdinus brevicaudatus</i> . .	III.	63	xxiv.	1872
<i>Turdus fuscatus</i>	III.	1	iv.	1852
— <i>gouldi</i>	III.	3	xxv.	1873
— <i>ruficollis</i>	III.	2	iv.	1852
<i>Turnix dussumieri</i>	VII.	10	xxi.	1869
— <i>fasciatus</i>	VII.	11	xiii.	1861
<i>Upupa nigripennis</i>	I.	66	xxxii.	1880
<i>Uragus sibiricus</i>	V.	27	xxxv.	1883
<i>Uria carbo</i>	VII.	71	iv.	1851
<i>Urocichla longicauda</i> . . .	IV.	53	xxxiv.	1883
<i>Urocissa cærulea</i>	V.	46	xvi.	1864
— <i>cucullata</i>	V.	51	xiii.	1861
— <i>flavirostris</i>	V.	50	xiii.	1861
— <i>magnirostris</i>	V.	49	xiii.	1861
— <i>occipitalis</i>	V.	47	xiii.	1861
— <i>sinensis</i>	V.	48	xiii.	1861
<i>Urocynchramus pylzowi</i> . .	V.	32	xxxi.	1879
<i>Vivia innominata</i>	VI.	39	xxii.	1870
<i>Xiphoramphus superciliaris</i> .	III.	34	ix.	1857
<i>Yuhina diademata</i>	III.	64	xxiv.	1872
— <i>occipitalis</i>	IV.	14	xv.	1863
<i>Yunx indica</i>	VI.	38	i.	1850
<i>Zosterops erythropleura</i> . .	II.	35	xxiii.	1871
— <i>simplex</i>	II.	34	xxiii.	1871

The Birds of Australia. By JOHN GOULD, F.R.S. &c.

Dedicated by permission to HER MAJESTY. 7

Vols. Folio. London, 1848.

[Published in 36 Parts, 1840–48. Part XXXVI. contains 9 Plates; Titles for Vols. I. to VII.; Lists of Plates for Vols. I. to VII.; Dedication; List of Subscribers; General Index; Preface; Introduction; Table of the Range of the Species; Directions to the Binder.]

Ditto. Supplement. 1 Vol. Folio. London, 1869.

[Published in 5 Parts, 1851–69. Part V. contains 16 Plates; Title; Introduction; List of Plates.]

	Vol.	Plate.	Part.	Date.
<i>Acanthiza apicalis</i>	III.	57	xxvi.	1847
— <i>chrysorrhœa</i>	III.	63	xvi.	1844
— <i>diemenensis</i>	III.	54	xvii.	1844
— <i>ewingii</i>	III.	55	xvii.	1844
— <i>inornata</i>	III.	59	xxiv.	1846
— <i>lineata</i>	III.	61	xx.	1845
— <i>magna</i>	Suppl.	28	ii.	1855
— <i>nana</i>	III.	60	xxii.	1846
— <i>pusilla</i>	III.	53	xxviii.	1847
— <i>pyrrhopygia</i>	III.	58	xxviii.	1847
— <i>reguloides</i>	III.	62	xxii.	1846
— <i>uropygialis</i>	III.	56	xxi.	1845
<i>Acanthogenys rufogularis</i> .	IV.	53	xvi.	1844
<i>Acanthorhynchus superciliosus</i>	IV.	62	xi.	1843
— <i>tenuirostris</i>	IV.	61	xi.	1843
<i>Acanthylis caudacuta</i> . .	II.	10	ix.	1842
<i>Accipiter torquatus</i> . . .	I.	19	vi.	1842
<i>Acrocephalus australis</i> . .	III.	37	xxvii.	1847
— <i>longirostris</i>	III.	38	xxiv.	1846
<i>Actitis empusa</i>	VI.	35	xxxii.	1848
<i>Actiturus bartramius</i> . .	Suppl.	77	iv.	1867
<i>Ægotheles leucogaster</i> . .	II.	2	xvi.	1844

	Vol.	Plate.	Part.	Date.
<i>Ægotheles novæ-hollandiæ</i> .	II.	1	i.	1840
<i>Alcyone azurea</i>	II.	25	xix.	1845
— <i>pusilla</i>	II.	26	xi.	1843
<i>Amadina castanotis</i>	III.	87	xiii.	1843
— <i>gouldiæ</i> (<i>Poëphila</i>				
<i>gouldiæ</i>)	III.	88	xv.	1844
— <i>lathamii</i>	III.	86	xiii.	1843
— <i>modesta</i> (<i>Estrela mo-</i>				
<i>desta</i>)	III.	85	xxv.	1846
<i>Amytis macrourus</i>	III.	30	xxvi.	1847
— <i>striatus</i>	III.	29	iii.	1841
— <i>textilis</i>	III.	28	iii.	1841
<i>Anas nævosa</i>	VII.	10	v.	1841
— <i>punctata</i>	VII.	11	xix.	1845
— <i>superciliosa</i>	VII.	9	xix.	1845
<i>Anoüs cinereus</i>	VII.	37	xxxv.	1848
— <i>leucocapillus</i>	VII.	36	xxv.	1846
— <i>melanops</i>	VII.	35	xxii.	1846
— <i>stolidus</i>	VII.	34	xxii.	1846
<i>Anseranas melanoleuca</i> . .	VII.	2	xxxii.	1848
<i>Anthochæra carunculata</i> .	IV.	55	xxvi.	1847
— <i>inauris</i>	IV.	54	xvi.	1844
— <i>lunulata</i>	IV.	57	xxiii.	1846
— <i>mellivora</i>	IV.	56	ii.	1841
<i>Anthus australis</i>	III.	73	xxvii.	1847
<i>Aplonis metallica</i>	Suppl.	33	i.	1851
<i>Aprosmictus erythropterus</i> .	V.	18	viii.	1842
— <i>scapulatus</i>	V.	17	viii.	1842
<i>Apteryx australis</i>	VI.	2	ii.	1841
— <i>owenii</i>	VI.	3	xxxiv.	1848
<i>Aquila fucosa</i>	I.	1	vii.	1842
— <i>morphnoides</i>	I.	2	vii.	1842
<i>Ardea leucophæa</i>	VI.	55	xxxvi.	1848
— <i>novæ-hollandiæ</i>	VI.	53	xxviii.	1847
— <i>pacifica</i>	VI.	52	xxvii.	1847
— <i>rectirostris</i>	VI.	54	xxxiii.	1848
<i>Ardetta flavicollis</i>	VI.	65	xxi.	1845
— <i>macrorhynchus</i>	VI.	66	xxxiv.	1848
— <i>pusilla</i>	VI.	68	xxx.	1848
— <i>stagnatilis</i>	VI.	67	xxxi.	1848
<i>Arses kaupi</i>	Suppl.	10	i.	1851
<i>Artamus albiventris</i>	II.	30	xxviii.	1847
— <i>cinereus</i>	II.	29	vi.	1842

	Vol.	Plate.	Part.	Date.
<i>Artamus leucopygialis</i> . . .	II.	33	vi.	1842
— <i>melanops</i>	Suppl.	7	v.	1869
— <i>minor</i>	II.	28	vi.	1842
— <i>personatus</i>	II.	31	vi.	1842
— <i>sordidus</i>	II.	27	vi.	1842
— <i>superciliosus</i>	II.	32	vi.	1842
<i>Astur approximans</i>	I.	17	viii.	1842
— <i>cruentus</i>	I.	18	viii.	1842
— <i>novæ-hollandiæ</i>	I.	14	xii.	1843
— — (albino)	I.	15	xii.	1843
— <i>radiatus</i>	I.	16	xiii.	1843
<i>Athene boobook</i>	I.	32	xviii.	1845
— <i>connivens</i>	I.	34	xvii.	1844
— <i>maculata</i>	I.	33	xviii.	1845
— <i>rufa</i>	I.	36	xxiii.	1846
— <i>strenua</i>	I.	35	xvii.	1844
<i>Atrichia clamosa</i>	III.	34	xiv.	1844
— <i>rufescens</i>	Suppl.	26	iv.	1867
<i>Attagen ariel</i>	VII.	72	xxxv.	1848
<i>Atticora leucosternon</i> . . .	II.	12	ix.	1842
<i>Bernicla jubata</i>	VII.	3	xxi.	1845
<i>Biziura lobata</i>	VII.	18	xvi.	1844
<i>Botaurus australis</i>	VI.	64	xxx.	1848
<i>Buteo melanosternon</i> . . .	I.	20	ix.	1842
<i>Cacatua eos</i>	V.	4	xx.	1845
— <i>galerita</i>	V.	1	x.	1843
— <i>leadbeaterii</i>	V.	2	x.	1843
— <i>sanguinea</i>	V.	3	x.	1843
<i>Cacomantis castaneiventris</i> .	Suppl.	55	iv.	1867
<i>Calamanthus campestris</i> . .	III.	71	xvi.	1844
— <i>fuliginosus</i>	III.	70	xvi.	1844
<i>Callocephalon galeatum</i> . .	V.	14	xxvi.	1847
<i>Calyptorhynchus banksii</i> . .	V.	7	xxv.	1846
— <i>baudinii</i>	V.	13	xxiv.	1846
— <i>funereus</i>	V.	11	xxiii.	1846
— <i>leachii</i>	V.	10	xxvi.	1847
— <i>macrorhynchus</i>	V.	8	xxvii.	1847
— <i>naso</i>	V.	9	xxviii.	1847
— <i>xanthonotus</i>	V.	12	xxix.	1847
<i>Campephaga humeralis</i> . .	II.	63	xxxiv.	1848
— <i>jardirii</i>	II.	60	xxxiii.	1848
— <i>karu</i>	II.	61	xxxi.	1848
— <i>leucomela</i>	II.	62	xxxiv.	1848

	Vol.	Plate.	Part.	Date.
Caprimulgus macrurus . . .	II.	9	xvii.	1844
Carpophaga assimilis . . .	Suppl.	67	ii.	1855
— leucomela	V.	59	xii.	1843
— luctuosa	V.	60	xii.	1843
— magnifica	V.	58	xxv.	1846
Casarca tadornoides . . .	VII.	7	xiv.	1844
Casuarus australis (<i>head and feet, natural size</i>) . . .	Suppl.	70	v.	1869
— — (whole figure) . .	Suppl.	71	v.	1869
— bennetti (<i>two heads, natural size</i>)	Suppl.	72	iii.	1859
— — (whole figure) . .	Suppl.	73	iii.	1859
— uniappendiculatus (<i>two heads, natural size</i>) . .	Suppl.	74	v.	1869
— — (whole figure) . .	Suppl.	75	v.	1869
Centropus phasianus . . .	IV.	92	xxix.	1847
Cereopsis novæ-hollandiæ .	VII.	1	xxviii.	1847
Chalcites osculans	IV.	88	xxix.	1847
Chalcophaps chrysochlora .	V.	62	xiii.	1843
Charadrius veredus	VI.	14	xxxiii.	1848
— xanthocheilus	VI.	13	xxxi.	1848
Chlamydera maculata . . .	IV.	8	iv.	1841
— nuchalis	IV.	9	iv.	1841
— cerviniventris	Suppl.	36	iii.	1859
— guttata	Suppl.	35	iv.	1867
Chrysococyx lucidus . . .	IV.	89	xxix.	1847
— minutillus	Suppl.	56	iii.	1859
Chthonicola minima . . .	III.	72	xxvii.	1847
Cincloramphus cantillans .	III.	75	xxviii.	1847
— cruralis	III.	74	xix.	1845
— rufescens	III.	76	xxvi.	1847
Cinclosoma castaneothorax .	Suppl.	32	ii.	1855
— castanotus	IV.	5	i.	1840
— cinnamomeus	IV.	6	xxv.	1846
— punctatum	IV.	4	i.	1840
Circus assimilis	I.	26	x.	1843
— jardinii	I.	27	x.	1843
Cladorhynchus pectoralis .	VI.	26	iii.	1841
Climacteris erythrops . . .	IV.	95	iv.	1841
— melanotus	IV.	96	xxvii.	1847
— melanura	IV.	97	xiv.	1844
— picumnus	IV.	98	iv.	1841
— rufa	IV.	94	iv.	1841

	Vol.	Plate.	Part.	Date.
<i>Climacteris scandens</i> . . .	IV.	93	iv.	1841
<i>Collocalia arborea</i> . . .	II.	14	ix.	1842
— <i>ariel</i>	II.	15	ix.	1842
<i>Colluricincla brunnea</i> . .	II.	76	xxxi.	1848
— <i>harmonica</i>	II.	74	xxiii.	1846
— <i>parvula</i>	II.	78	xxi.	1845
— <i>rufiventris</i>	II.	75	xxxii.	1848
— <i>selbii</i>	II.	77	xxxii.	1848
<i>Corcorax leucopterus</i> . . .	IV.	16	xxiv.	1846
<i>Corvus coronoides</i>	IV.	18	xx.	1845
<i>Coturnix pectoralis</i> . . .	V.	88	xxv.	1846
<i>Cracticus argenteus</i> . . .	II.	51	xxxiii.	1848
— <i>destructor</i>	II.	52	xxxi.	1848
— <i>nigrogularis</i>	II.	49	xxii.	1846
— <i>picatus</i>	II.	50	xxxiv.	1848
— <i>quoyii</i>	II.	53	xxviii.	1847
<i>Cuculus cineraceus</i> . . .	IV.	86	xxix.	1847
— <i>inornatus</i>	IV.	85	xxv.	1846
— <i>insperatus</i>	IV.	87	xxv.	1846
— <i>optatus</i>	IV.	84	xxi.	1845
<i>Cyclopsitta coxeni</i>	Suppl.	65	iv.	1867
<i>Cygnus atratus</i>	VII.	6	xx.	1845
<i>Cypselus australis</i>	II.	11	ix.	1842
<i>Cysticola exilis</i>	III.	42	xxiv.	1846
— <i>isura</i>	III.	44	xxvi.	1847
— <i>lineocapilla</i>	III.	43	xxvii.	1847
— <i>magna</i>	III.	41	xxiv.	1846
— <i>ruficeps</i>	III.	45	xxvi.	1847
<i>Dacelo cervina</i>	II.	20	xv.	1844
— <i>gigantea</i>	II.	18	xv.	1844
— <i>leachii</i>	II.	19	xxxi.	1848
<i>Daption capensis</i>	VII.	53	xxix.	1847
<i>Dasyornis australis</i>	III.	32	v.	1841
— <i>longirostris</i>	III.	33	v.	1841
<i>Dendrocygna arcuata</i> . . .	VII.	14	xxxiii.	1848
<i>Dicaeum hirundinaceum</i> . .	II.	34	v.	1841
<i>Dicrurus bracteatus</i>	II.	82	xx.	1845
<i>Diomedea brachyura</i> . . .	VII.	39	xxxvi.	1848
— <i>cauta</i>	VII.	40	xv.	1844
— <i>chlororhynchos</i>	VII.	42	xv.	1844
— <i>culminata</i>	VII.	41	xxxiii.	1848
— <i>exulans</i>	VII.	38	xiv.	1844
— <i>fuliginosa</i>	VII.	44	xxxvi.	1848

	Vol.	Plate.	Part.	Date.
<i>Diomedea melanophrys</i> . . .	VII.	43	xiv.	1844
<i>Donacola castaneothorax</i> . .	III.	94	vii.	1842
— <i>flaviprymna</i>	III.	96	xxiii.	1846
— <i>pectoralis</i>	III.	95	vii.	1842
<i>Dromaius novæ-hollandiæ</i> . .	VI.	1	xxxiii.	1848
<i>Drymodes brunneopygia</i> . .	III.	10	viii.	1842
— <i>superciliaris</i>	Suppl.	16	i.	1851
<i>Elanus axillaris</i>	I.	23	ix.	1842
— <i>scriptus</i>	I.	24	ix.	1842
<i>Emblema picta</i>	III.	97	vii.	1842
<i>Entomophila albogularis</i> . .	IV.	51	xii.	1843
— <i>picta</i>	IV.	50	xii.	1843
— <i>rufogularis</i>	IV.	52	xii.	1843
<i>Entomyza albipennis</i> . . .	IV.	69	xvii.	1844
— <i>cyanotis</i>	IV.	68	ii.	1841
<i>Eöpsaltria australis</i>	III.	11	xiii.	1843
— <i>capito</i>	Suppl.	17	ii.	1855
— <i>griseogularis</i>	III.	12	xiii.	1843
— <i>leucogaster</i>	III.	13	xxiii.	1846
— <i>lencura</i>	Suppl.	18	v.	1869
<i>Epthianura albifrons</i> . . .	III.	64	vi.	1842
— <i>aurifrons</i>	III.	65	vii.	1842
— <i>tricolor</i>	III.	66	vii.	1842
<i>Erismatura australis</i> . . .	VII.	17	xvi.	1844
<i>Erythrodryas rhodinogaster</i> .	III.	1	viii.	1842
— <i>rosea</i>	III.	2	viii.	1842
<i>Erythrogonyx cinctus</i> . . .	VI.	21	iii.	1841
<i>Esacus magnirostris</i> . . .	VI.	9	xxi.	1845
<i>Estrela annulosa</i>	III.	81	v.	1841
— <i>bella</i>	III.	78	xviii.	1845
— <i>bichenovii</i>	III.	80	v.	1841
— <i>modesta</i>	III.	85	xxv.	1846
— <i>oculea</i>	III.	79	xviii.	1845
— <i>phaëton</i>	III.	83	viii.	1842
— <i>ruficauda</i>	III.	84	vii.	1842
— <i>temporalis</i>	III.	82	vi.	1842
<i>Eudromias australis</i>	VI.	15	xiii.	1843
<i>Eudynamys flindersii</i> . . .	IV.	91	xxx.	1848
<i>Eudyptes chrysocome</i> . . .	VII.	83	xxxii.	1848
<i>Eulabeornis castaneoventris</i> .	VI.	78	xvii.	1844
<i>Euphema aurantia</i>	V.	39	ii.	1841
— <i>bourkii</i>	V.	43	v.	1841
— <i>chrysostoma</i>	V.	37	i.	1840

	Vol.	Plate.	Part.	Date.
<i>Euphema elegans</i>	V.	38	ii.	1841
— <i>petrophila</i>	V.	40	xiv.	1844
— <i>pulchella</i>	V.	41	xiv.	1844
— <i>splendida</i>	V.	42	ii.	1841
<i>Eurostopodus albogularis</i> .	II.	7	ix.	1842
— <i>guttatus</i>	II.	8	ix.	1842
<i>Eurystomus australis</i> . . .	II.	17	xii.	1843
<i>Falcinellus igneus</i>	VI.	47	xvii.	1844
<i>Falco frontatus</i>	I.	10	v.	1841
— <i>hypoleucus</i>	I.	7	v.	1841
— <i>melanogenys</i>	I.	8	v.	1841
— <i>subniger</i>	I.	9	xxxvi.	1848
<i>Falcunculus frontatus</i> . . .	II.	79	v.	1841
— <i>leucogaster</i>	II.	80	v.	1841
<i>Fulica australis</i>	VI.	74	xxiv.	1846
<i>Gallinula ruficrissa</i>	Suppl.	79	v.	1869
— <i>tenebrosa</i>	VI.	73	xxii.	1846
<i>Gelochelidon macrotarsa</i> .	Suppl.	81	iii.	1859
<i>Geopelia cuneata</i>	V.	74	xviii.	1845
— <i>humeralis</i>	V.	72	xv.	1844
— <i>tranquilla</i>	V.	73	xix.	1845
<i>Geophaps plumifera</i>	V.	69	vii.	1842
— <i>scripta</i>	V.	67	vii.	1842
— <i>smithii</i>	V.	68	vii.	1842
<i>Geopsittacus occidentalis</i> .	Suppl.	66	iv.	1867
<i>Geronticus spinicollis</i> . . .	VI.	45	xvii.	1844
<i>Gerygone albogularis</i> . . .	II.	97	xxix.	1847
— <i>chloronotus</i>	II.	102	xx.	1845
— <i>culcivorus</i>	II.	99	xxix.	1847
— <i>fuscus</i>	II.	98	xxv.	1846
— <i>lævigaster</i>	II.	101	xxxiv.	1848
— <i>magnirostris</i>	II.	100	xxxii.	1848
— <i>personata</i>	Suppl.	14	iv.	1867
<i>Glareola grallaria</i>	VI.	22	xxiii.	1846
— <i>orientalis</i>	VI.	23	xxxv.	1848
<i>Glottis glottoïdes</i>	VI.	36	xvi.	1844
<i>Glyciphila albifrons</i>	IV.	29	x.	1843
— <i>fasciata</i>	IV.	30	x.	1843
— <i>fulvifrons</i>	IV.	28	x.	1843
— <i>ocularis</i>	IV.	31	xxiv.	1846
<i>Gnathodon strigirostris</i> . . .	V.	76	xxii.	1846
<i>Grallina australis</i>	II.	54	xi.	1843
<i>Graucalus hypoleucus</i> . . .	II.	57	xxxiii.	1848

	Vol.	Plate.	Part.	Date.
<i>Graucalus melanops</i> . . .	II.	55	xix.	1845
— <i>mentalis</i>	II.	56	xxxii.	1848
— <i>swainsonii</i>	II.	58	xxiii.	1846
<i>Grus australasianus</i> . . .	VI.	48	xxx.	1848
<i>Gygis candida</i>	VII.	30	xxxv.	1848
<i>Gymnorhina leuconota</i> . .	II.	47	xvii.	1844
— <i>organicum</i>	II.	48	xxvii.	1847
— <i>tibicen</i>	II.	46	xvii.	1844
<i>Hæmatopus fuliginosus</i> . .	VI.	8	xviii.	1845
— <i>longirostris</i>	VI.	7	xviii.	1845
<i>Halcyon flavirostris</i> . . .	Suppl.	5	i.	1851
— <i>maclayii</i>	II.	24	xi.	1843
— <i>pyrrhopygia</i>	II.	22	i.	1840
— <i>sanctus</i>	II.	21	i.	1840
— <i>sordidus</i>	II.	23	xxxii.	1848
<i>Haliaster leucosternus</i> . .	I.	4	xi.	1843
— <i>sphenurus</i>	I.	5	xi.	1843
<i>Hemipodius castanotus</i> . .	V.	85	xiii.	1843
— <i>melanogaster</i>	V.	81	xxii.	1846
— <i>melanotus</i>	V.	84	xxi.	1845
— <i>pyrrhothorax</i>	V.	86	ii.	1841
— <i>scintillans</i>	V.	83	xxi.	1845
— <i>varius</i>	V.	82	xxi.	1845
— <i>velox</i>	V.	87	ii.	1841
<i>Herodias greyi</i>	VI.	61	xxxiii.	1848
— <i>immaculata</i>	VI.	58	xxv.	1846
— <i>jugularis</i>	VI.	60	xxxiii.	1848
— <i>pannosus</i>	VI.	59	xxxi.	1848
— <i>picata</i>	VI.	62	xxiv.	1846
— <i>plumiferus</i>	VI.	57	xxxii.	1848
— <i>symmatophorus</i>	VI.	56	xxiv.	1846
<i>Hiaticula bicincta</i>	VI.	16	xix.	1845
— <i>inornata</i>	VI.	19	xxiv.	1846
— <i>monacha</i>	VI.	18	xxxiv.	1848
— <i>nigrifrons</i>	VI.	20	xix.	1845
— <i>ruficapilla</i>	VI.	17	xxiii.	1846
<i>Himantopus leucocephalus</i> .	VI.	24	iv.	1841
— <i>novæ-zelandiæ</i>	VI.	25	iv.	1841
<i>Hirundo neoxena</i>	II.	13	ix.	1842
<i>Hydrochelidon fluviatilis</i> .	VII.	31	xxxiii.	1848
<i>Hylacola cauta</i>	III.	40	xiii.	1843
— <i>pyrrhopygia</i>	III.	39	xiii.	1843
<i>Ichthyaëtus leucogaster</i> .	I.	3	ii.	1841

	Vol.	Plate.	Part.	Date.
<i>Ieracidea berigora</i>	I.	11	xv.	1844
— <i>occidentalis</i>	I.	12	xvi.	1844
<i>Larus pacificus</i>	VII.	19	xxviii.	1847
<i>Lathamus discolor</i>	V.	47	i.	1840
<i>Leipoa ocellata</i>	V.	78	i.	1840
<i>Lepidogenys subcristatus</i> .	I.	25	xiv.	1844
<i>Leptotarsis eytoni</i>	VII.	15	xx.	1845
<i>Lestris catarractes</i>	VII.	21	xxxv.	1848
<i>Leucosarcia picata</i>	V.	63	xiii.	1843
<i>Licmetis nasicus</i>	V.	5	xxvii.	1847
<i>Limosa melanuroides</i>	VI.	28	xxiv.	1846
— <i>uropygialis</i>	VI.	29	xxxiii.	1848
<i>Lobivanellus lobatus</i>	VI.	9	viii.	1842
— <i>personatus</i>	VI.	10	viii.	1842
<i>Lopholaimus antarcticus</i> .	V.	61	v.	1841
<i>Lophophaps ferruginea</i> . . .	Suppl.	68	iv.	1867
— <i>leucogaster</i>	Suppl.	69	iv.	1867
<i>Machæirhynchus flaviventer</i>	Suppl.	11	i.	1851
<i>Macropygia phasianella</i> . .	V.	75	xvii.	1844
<i>Malacorhynchus membrana-</i>	VII.	13	xxviii.	1845
<i>Malurus amabilis</i> . . [ceus	Suppl.	21	ii.	1855
— <i>brownii</i>	III.	27	iii.	1841
— <i>callainus</i>	Suppl.	23	iv.	1867
— <i>coronatus</i>	Suppl.	20	iii.	1859
— <i>cyaneus</i>	III.	18	iii.	1841
— <i>elegans</i>	III.	22	iii.	1841
— <i>hypoleucus</i>	Suppl.	22	iv.	1867
— <i>lamerti</i>	III.	24	iii.	1841
— <i>leuconotus</i>	Suppl.	24	iv.	1867
— <i>leucopterus</i>	III.	25	iii.	1841
— <i>longicaudus</i>	III.	19	iii.	1841
— <i>melanocephalus</i>	III.	26	iii.	1841
— <i>melanotus</i>	III.	20	iii.	1841
— <i>pulcherrimus</i>	III.	23	xx.	1845
— <i>splendens</i>	III.	21	iii.	1841
<i>Manucodia keraudreni</i> . . .	Suppl.	9	ii.	1855
<i>Megapodius tumulus</i>	V.	79	vi.	1842
<i>Melicophila picata</i>	IV.	49	xv.	1844
<i>Meliphaga australasiana</i> . .	IV.	27	i.	1840
— <i>longirostris</i>	IV.	24	xxv.	1846
— <i>mystacalis</i>	IV.	26	xxx.	1848
— <i>novæ-hollandiæ</i>	IV.	23	x.	1843
— <i>sericea</i>	IV.	25	x.	1843

	Vol.	Plate.	Part.	Date.
<i>Melithreptus albogularis</i>	IV.	74	xxx.	1848
— <i>chloropsis</i>	IV.	73	xxx.	1848
— <i>gularis</i>	IV.	71	xx.	1845
— <i>lunulatus</i>	IV.	72	xxx.	1848
— <i>melanocephalus</i>	IV.	75	xix.	1845
— <i>validirostris</i>	IV.	70	xix.	1845
<i>Melopsittacus undulatus</i>	V.	44	i.	1840
<i>Menura alberti</i>	Suppl.	19	i.	1851
— <i>superba</i>	III.	14	iii.	1841
<i>Merops ornatus</i>	II.	16	vii.	1842
<i>Merula poliocephala</i>	Suppl.	30	iii.	1859
— <i>vinitincta</i>	Suppl.	31	ii.	1855
<i>Microeca flavigaster</i>	II.	94	xxi.	1845
— <i>macroptera</i>	II.	93	xxxii.	1848
<i>Microglossus aterrimus</i>	Suppl.	61	i.	1851
<i>Milvus affinis</i>	I.	21	viii.	1842
— <i>isurus</i>	I.	22	ii.	1841
<i>Mirafrans horsfieldii</i>	III.	77	xxvii.	1847
<i>Monarcha albibentris</i>	Suppl.	13	v.	1869
— <i>carinata</i>	II.	95	xxv.	1846
— <i>leucotis</i>	Suppl.	12	i.	1851
— <i>trivirgata</i>	II.	96	xxxiii.	1848
<i>Myzomela australis</i>	VI.	51	xxviii.	1847
<i>Myiagra concinna</i>	II.	90	xxxi.	1848
— <i>latirostris</i>	II.	92	xxxii.	1848
— <i>nitida</i>	II.	91	xxxi.	1848
— <i>plumbea</i>	II.	89	xxiii.	1846
<i>Myzantha flavigula</i>	VI.	79	xxx.	1848
— <i>garrula</i>	VI.	76	xv.	1844
— <i>lutea</i>	VI.	78	xv.	1844
— <i>melanophrys</i>	VI.	80	xxii.	1846
— <i>obscura</i>	VI.	77	xv.	1844
<i>Myzomela erythrocephala</i>	IV.	64	xi.	1843
— <i>nigra</i>	IV.	66	iv.	1841
— <i>obscura</i>	IV.	67	xxi.	1845
— <i>pectoralis</i>	IV.	65	xii.	1843
— <i>sanguineolenta</i>	IV.	63	xi.	1843
<i>Nectarinia australis</i>	Suppl.	45	i.	1851
<i>Neomorpha gouldii</i>	IV.	19	iii.	1841
<i>Nestor esslingii</i>	Suppl.	59	iii.	1859
— <i>hypopolius</i>	Suppl.	58	iii.	1859
— <i>notabilis</i>	Suppl.	60	iii.	1859
— <i>productus</i>	V.	6	v.	1841

	Vol.	Plate.	Part.	Date.
<i>Nettapus coromandelianus</i>	VII.	5	vi.	1842
— <i>pulchellus</i>	VII.	4	vi.	1842
<i>Notornis mantelli</i>	Suppl.	76	i.	1851
<i>Numenius australis</i>	VI.	42	xxxiv.	1848
— <i>minutus</i>	VI.	44	xxxi.	1848
— <i>uropygialis</i>	VI.	43	xxxi.	1848
<i>Nycticorax caledonicus</i>	VI.	63	xxiv.	1846
<i>Nymphicus novæ-hollandiæ</i>	V.	45	vii.	1842
<i>Nyroca australis</i>	VII.	16	xxvii.	1847
<i>Ocyphaps lophotes</i>	V.	70	xiii.	1843
<i>Œdienemus grallarius</i>	VI.	5	xxi.	1845
<i>Onychoprion fuliginosus</i>	VII.	32	xxviii.	1847
— <i>panaya</i>	VII.	33	xxxv.	1848
<i>Oreocinclâ lunulata</i>	IV.	7	xxx.	1848
<i>Oreoica gutturalis</i>	II.	81	xii.	1843
<i>Origma rubricata</i>	III.	69	xxiii.	1846
<i>Oriolus flavocinctus</i>	IV.	14	xxx.	1848
— <i>viridis</i>	IV.	13	xxi.	1845
<i>Orthonyx spaldingi</i>	Suppl.	53	v.	1869
— <i>spinicaudus</i>	IV.	99	xxx.	1848
<i>Otis australasianus</i>	VI.	4	viii.	1842
<i>Pachycephala falcata</i>	II.	68	xxxi.	1848
— <i>gilbertii</i>	II.	71	xviii.	1845
— <i>glaucura</i>	II.	65	xviii.	1845
— <i>gutturalis</i>	II.	64	xxxii.	1848
— <i>lanoïdes</i>	II.	69	xvii.	1844
— <i>melanura</i>	II.	66	xxxii.	1848
— <i>olivacea</i>	II.	73	xxii.	1846
— <i>pectoralis</i>	II.	67	iv.	1841
— <i>rufogularis</i>	II.	70	xviii.	1845
— <i>simplex</i>	II.	72	xxxi.	1848
<i>Pandion leucocephalus</i>	I.	6	xiii.	1843
<i>Pardalotus affinis</i>	II.	39	i.	1840
— <i>melanocephalus</i>	II.	40	xxiii.	1846
— <i>punctatus</i>	II.	35	xv.	1844
— <i>quadragesimus</i>	II.	37	xii.	1843
— <i>rubricatus</i>	II.	36	xxiii.	1846
— <i>striatus</i>	II.	38	xv.	1844
— <i>uropygialis</i>	II.	41	i.	1840
— <i>xanthopygius</i>	Suppl.	8	iv.	1867
<i>Parra gallinacea</i>	VI.	75	x.	1843
<i>Pedionomus torquatus</i>	V.	80	i.	1840
<i>Pelecanus conspicillatus</i>	VII.	74	xxix.	1847

	Vol.	Plate.	Part.	Date.
<i>Peristera chalconotus</i> . . .	V.	64	xiii.	1843
— <i>elegans</i>	V.	65	xiii.	1843
— <i>histrionica</i>	V.	66	ii.	1841
<i>Petroica bicolor</i>	III.	7	viii.	1842
— <i>cerviniventris</i>	Suppl.	15	iii.	1859
— <i>erythrogastra</i>	III.	4	xxvii.	1847
— <i>fusca</i>	III.	8	viii.	1842
— <i>goodenovii</i>	III.	5	viii.	1842
— <i>multicolor</i>	III.	3	viii.	1842
— <i>phoenicea</i>	III.	6	viii.	1842
— <i>superciliaris</i>	III.	9	xxvi.	1847
<i>Petrophassa albipennis</i> . . .	V.	71	x.	1843
<i>Pezoporus formosus</i>	V.	46	xviii.	1845
<i>Phaeton phoenicurus</i>	VII.	73	xxxv.	1848
<i>Phalacrocorax carboïdes</i> . . .	VII.	66	xxxiv.	1848
— <i>hypoleucus</i>	VII.	68	xi.	1843
— <i>leucogaster</i>	VII.	69	xi.	1843
— <i>melanoleucus</i>	VII.	70	xii.	1843
— <i>punctatus</i>	VII.	71	v.	1841
— <i>sulcirostris</i>	VII.	67	xxxv.	1848
<i>Piezorhynchus nitidus</i>	II.	88	xiv.	1844
<i>Pitta iris</i>	IV.	3	vi.	1842
— <i>mackloti</i>	Suppl.	29	v.	1869
— <i>streptitans</i>	IV.	1	vi.	1842
— <i>vigorsii</i>	IV.	2	ii.	1841
<i>Platalea flavipes</i>	VI.	49	vii.	1842
— <i>regia</i>	VI.	50	vii.	1842
<i>Platycercus adelaidiæ</i>	V.	22	iv.	1841
— <i>barnardii</i>	V.	21	xi.	1843
— <i>bauerii</i>	V.	20	xi.	1843
— <i>brownii</i>	V.	31	xvi.	1844
— <i>cyanogenys</i>	Suppl.	63	ii.	1855
— <i>eximius</i>	V.	27	xxii.	1846
— <i>flaveolus</i>	V.	25	iv.	1841
— <i>flaviventris</i>	V.	24	xx.	1845
— <i>icterotis</i>	V.	29	xviii.	1845
— <i>ignitus</i>	V.	30	xxix.	1847
— <i>palliceps</i>	V.	26	v.	1841
— <i>pennantii</i>	V.	23	xxvi.	1847
— <i>pileatus</i>	V.	32	xix.	1845
— <i>semitorquatus</i>	V.	19	xi.	1843
— <i>splendidus</i>	V.	28	xxvii.	1847
<i>Plectorhyncha lanceolata</i> . .	IV.	47	iv.	1841

	Vol.	Plate.	Part.	Date.
<i>Plotus novæ-hollandiæ</i> . . .	VII.	75	xxviii.	1847
<i>Podargus cuvieri</i>	II.	4	xxvi.	1847
— <i>humeralis</i>	II.	3	i.	1840
— <i>marmoratus</i>	Suppl.	4	ii.	1855
— <i>papuensis</i>	Suppl.	3	ii.	1855
— <i>phalænoïdes</i>	II.	5	xiv.	1844
— <i>plumiferus</i>	II.	6	xxv.	1846
<i>Podiceps australis</i>	VII.	80	xvii.	1844
— <i>gularis</i>	VII.	81	xii.	1843
— <i>poliocephalus</i>	VII.	82	xii.	1843
<i>Poëphila acuticauda</i> . . .	III.	90	vi.	1842
— <i>cincta</i>	III.	93	vi.	1842
— <i>gouldiæ</i>	III.	88	xv.	1844
— <i>leucotis</i>	III.	92	xxvi.	1847
— <i>mirabilis</i>	III.	89	xxviii.	1847
— <i>personata</i>	III.	91	vi.	1842
<i>Polytelis alexandræ</i> . . .	Suppl.	62	iv.	1867
— <i>barrabandii</i>	V.	15	xviii.	1845
— <i>melanura</i>	V.	16	xviii.	1845
<i>Pomatorhinus rubeculus</i> . .	IV.	21	xvi.	1844
— <i>ruficeps</i>	Suppl.	38	ii.	1855
— <i>superciliosus</i>	IV.	22	xvi.	1844
— <i>temporalis</i>	IV.	20	xxx.	1848
<i>Porphyrio bellus</i>	VI.	70	v.	1841
— <i>melanotus</i>	VI.	69	xxx.	1848
<i>Porzana fluminea</i>	VI.	79	x.	1843
— <i>immaculata</i>	VI.	82	xxiv.	1846
— <i>leucophrys</i>	VI.	81	xxviii.	1847
— <i>palustris</i>	VI.	80	x.	1843
<i>Prion turtur</i>	VII.	54	xvi.	1844
— <i>vittatus</i>	VII.	55	xvi.	1844
<i>Procellaria cærulea</i> . . .	VII.	52	xxix.	1847
— <i>conspicillata</i>	VII.	46	xxxv.	1848
— <i>cookii</i>	VII.	51	xxv.	1846
— <i>gigantea</i>	VII.	45	xxxvi.	1848
— <i>glacialis</i>	VII.	48	xxxv.	1848
— <i>hasitata</i>	VII.	47	xxxv.	1848
— <i>lessonii</i>	VII.	49	xxxv.	1848
— <i>mollis</i>	VII.	50	xxxv.	1848
<i>Psephotus chrysopterygius</i> .	Suppl.	64	iii.	1859
— <i>hæmatogaster</i>	V.	33	xxix.	1847
— <i>hæmatonotus</i>	V.	36	xix.	1845
— <i>multicolor</i>	V.	35	xxviii.	1847

	Vol.	Plate.	Part.	Date.
<i>Psephotus pulcherrimus</i> . . .	V.	34	xxii.	1846
<i>Psophodes crepitans</i> . . .	III.	15	iii.	1841
— <i>nigrogularis</i> . . .	III.	16	xv.	1844
<i>Pteropodocys phasianella</i> . .	II.	59	xxv.	1846
<i>Ptilinopus ewingii</i> . . .	V.	56	vii.	1842
— <i>superbus</i> . . .	V.	51	xiv.	1844
— <i>swainsonii</i> . . .	V.	55	vii.	1842
<i>Ptilonorhynchus holosericeus</i>	IV.	10	iv.	1841
— <i>rawnsleyi</i> . . .	Suppl.	34	v.	1869
— <i>smithii</i> . . .	IV.	11	xxi.	1845
<i>Ptiloris magnifica</i> . . .	Suppl.	51	i.	1851
— <i>paradiseus</i> . . .	IV.	100	xxvii.	1847
— <i>victoriæ</i> . . .	Suppl.	50	i.	1851
<i>Ptilotis auricomis</i> . . .	IV.	37	xvii.	1844
— <i>cassidix</i> . . .	Suppl.	39	iv.	1867
— <i>chrysops</i> . . .	IV.	45	xix.	1845
— <i>chrysotis</i> . . .	IV.	32	xxii.	1846
— <i>cockerelli</i> . . .	Suppl.	43	v.	1869
— <i>cratitius</i> . . .	IV.	38	xvi.	1844
— <i>fasciogularis</i> . . .	Suppl.	40	ii.	1855
— <i>filigera</i> . . .	Suppl.	42	i.	1851
— <i>flava</i> . . .	IV.	42	xxi.	1845
— <i>flavescens</i> . . .	IV.	41	xx.	1845
— <i>flavigula</i> . . .	IV.	35	xxx.	1848
— <i>fusca</i> . . .	IV.	44	iv.	1841
— <i>leucotis</i> . . .	IV.	36	xxv.	1846
— <i>notata</i> . . .	Suppl.	41	v.	1869
— <i>ornatus</i> . . .	IV.	39	ii.	1841
— <i>penicillatus</i> . . .	IV.	43	xviii.	1845
— <i>plumulus</i> . . .	IV.	40	ii.	1841
— <i>sonorus</i> . . .	IV.	33	xx.	1845
— <i>unicolor</i> . . .	IV.	46	xxii.	1846
— <i>versicolor</i> . . .	IV.	34	xx.	1845
<i>Puffinuria urinatrix</i> . . .	VII.	60	xv.	1844
<i>Puffinus assimilis</i> . . .	VII.	59	xxxv.	1848
— <i>brevicaudus</i> . . .	VII.	56	xxviii.	1847
— <i>carneipes</i> . . .	VII.	57	xxxv.	1848
— <i>sphenurus</i> . . .	VII.	58	xxxiv.	1848
<i>Pycnoptilus floccosus</i> . . .	Suppl.	27	i.	1851
<i>Pyrholaemus brunneus</i> . . .	III.	68	xvii.	1844
<i>Rallina tricolor</i> . . .	Suppl.	78	v.	1869
<i>Rallus lewinii</i> . . .	VI.	77	xxxiii.	1848
— <i>pectoralis</i> . . .	VI.	76	xxiv.	1846

	Vol.	Plate.	Part.	Date.
<i>Recurvirostris rubricollis</i> .	VI.	27	ix.	1842
<i>Rhipidura albiscapa</i> . . .	II.	83	i.	1840
— <i>isura</i>	II.	85	xxix.	1847
— <i>motacilloïdes</i> . . .	II.	86	xxxi.	1848
— <i>rufifrons</i>	II.	84	xxiii.	1846
<i>Rhynchæa australis</i> . . .	VI.	41	ix.	1842
<i>Sarciophorus pectoralis</i> . .	VI.	11	ix.	1842
<i>Sceloglaux albifacies</i> . . .	Suppl.	2	ii.	1855
<i>Schœniclus albescens</i> . . .	VI.	31	xxxii.	1848
— <i>australis</i>	VI.	30	xxviii.	1847
— <i>magnus</i>	VI.	33	xxxiv.	1848
— <i>subarquatus</i>	VI.	32	xxxiii.	1848
<i>Scolopax australis</i>	VI.	40	xxxii.	1848
<i>Scythrops novæ-hollandiæ</i> .	IV.	90	xxix.	1847
<i>Seisura inquieta</i>	IV.	87	xxxii.	1848
<i>Semioptera wallacei</i> . . .	Suppl.	52	iii.	1859
<i>Sericornis citreogularis</i> . .	III.	46	xiv.	1844
— <i>frontalis</i>	III.	49	xxi.	1845
— <i>humilis</i>	III.	47	xix.	1845
— <i>lævigaster</i>	III.	50	xxvii.	1847
— <i>maculatus</i>	III.	51	xxvii.	1847
— <i>magnirostris</i>	III.	52	xx.	1845
— <i>osculans</i>	III.	48	xxvii.	1847
<i>Sericulus chrysocephalus</i> .	IV.	12	xxvi.	1847
<i>Sittella chrysoptera</i> . . .	IV.	101	xiv.	1844
— <i>leucocephala</i>	IV.	102	xxx.	1848
— <i>leucoptera</i>	IV.	103	xiv.	1844
— <i>pileata</i>	IV.	104	xiv.	1844
— <i>striata</i>	Suppl.	54	v.	1869
<i>Smicrornis brevirostris</i> . .	II.	103	xxxiv.	1848
— <i>flavescens</i>	II.	104	xxi.	1845
<i>Spatula rhynchotis</i> . . .	VII.	12	xx.	1845
— <i>variegata</i>	Suppl.	80	iii.	1859
<i>Sphæcotheres australis</i> . .	IV.	15	xxx.	1848
— <i>flaviventris</i>	Suppl.	37	i.	1851
<i>Spheniscus minor</i>	VII.	84	xvi.	1844
— <i>undina</i>	VII.	85	xxxiii.	1848
<i>Sphenœacus galactotes</i> . .	III.	35	xxvi.	1847
— <i>gramineus</i>	III.	36	xix.	1845
<i>Sphenostoma cristata</i> . . .	III.	17	iii.	1841
<i>Sphenura broadbenti</i> . . .	Suppl.	25	iv.	1867
<i>Squatarola helvetica</i> . . .	VI.	12	xxxv.	1848
<i>Sterna gracilis</i>	VII.	27	xxxi.	1848

	Vol.	Plate.	Part.	Date.
<i>Sterna melanauchen</i> . . .	VII.	28	xxiii.	1846
— <i>melanorhyncha</i> . . .	VII.	26	xxxvi.	1848
<i>Sternula nereis</i> . . .	VII.	29	xiv.	1844
<i>Stipiturus malachurus</i> . .	III.	31	iii.	1841
<i>Strepera anaphonensis</i> . .	II.	45	xxxiii.	1848
— <i>arguta</i> . . .	II.	44	xxv.	1846
— <i>fuliginosa</i> . . .	II.	43	xxxi.	1848
— <i>graculina</i> . . .	II.	42	xv.	1844
<i>Strepsilas interpres</i> . . .	VI.	39	xxxiv.	1848
<i>Stringops habroptilus</i> . .	Suppl.	57	ii.	1855
<i>Strix candida</i> . . .	Suppl.	1	v.	1869
— <i>castanops</i> . . .	I.	28	xix.	1845
— <i>delicatulus</i> . . .	I.	31	xxii.	1846
— <i>personata</i> . . .	I.	29	xix.	1845
— <i>tenebricosus</i> . . .	I.	30	xxxv.	1848
<i>Struthidea cinerea</i> . . .	IV.	17	x.	1843
<i>Sula australis</i> . . .	VII.	76	xxiv.	1846
— <i>fusca</i> . . .	VII.	78	xxiii.	1846
— <i>personata</i> . . .	VII.	77	xxiii.	1846
— <i>piscator</i> . . .	VII.	79	xxiv.	1846
<i>Sylochelidon strenuus</i> . .	VII.	22	xxii.	1846
<i>Synoicus australis</i> . . .	V.	89	xii.	1843
— <i>chinensis</i> . . .	V.	92	xii.	1843
— <i>diemenensis</i> . . .	V.	90	xxvi.	1847
— <i>sordidus</i> . . .	V.	91	xxix.	1847
<i>Tadorna radjah</i> . . .	VII.	8	xiv.	1844
<i>Talegalla lathamii</i> . . .	V.	77	i.	1840
<i>Tanyptera sylvia</i> . . .	Suppl.	6	i.	1851
<i>Terekia cinerea</i> . . .	VI.	34	xxxiv.	1848
<i>Thalasseus pelecanoïdes</i> . .	VII.	23	xxxiv.	1848
— <i>poliocercus</i> . . .	VII.	24	xxxiv.	1848
— <i>torresii</i> . . .	VII.	25	xxxvi.	1848
<i>Thalassidroma leucogaster</i> .	VII.	63	xxvi.	1847
— <i>marina</i> . . .	VII.	61	xviii.	1845
— <i>melanogaster</i> . . .	VII.	62	xxvi.	1847
— <i>nereis</i> . . .	VII.	64	xx.	1845
— <i>wilsoni</i> . . .	VII.	65	xxii.	1846
<i>Threskiornis strictipennis</i> .	VI.	46	xvii.	1844
<i>Tinnunculus cenchroïdes</i> .	I.	13	x.	1843
<i>Totanus griseopygius</i> . . .	VI.	38	xxxiii.	1848
— <i>stagnatilis</i> . . .	VI.	37	xxxiv.	1848
<i>Tribonyx mortieri</i> . . .	VI.	71	xxxi.	1848
— <i>ventralis</i> . . .	VI.	72	xx.	1845

	Vol.	Plate.	Part.	Date.
<i>Trichoglossus chlorolepidotus</i>	V.	50	x.	1843
— <i>concinus</i>	V.	52	xiii.	1843
— <i>porphyrocephalus</i> . . .	V.	53	i.	1840
— <i>pusillus</i>	V.	54	xiii.	1843
— <i>rubritorquis</i>	V.	49	ix.	1842
— <i>swainsonii</i>	V.	48	ix.	1842
— <i>versicolor</i>	V.	51	ix.	1842
<i>Tropidorhynchus argenticeps</i>	IV.	59	ii.	1841
— <i>buceroïdes</i>	Suppl.	44	ii.	1855
— <i>citreogularis</i>	IV.	60	xxix.	1847
— <i>corniculatus</i>	IV.	58	ii.	1841
<i>Xema jamesonii</i>	VII.	20	xxxvi.	1848
<i>Xerophila leucopsis</i>	III.	67	xv.	1844
<i>Zanthomyza phrygia</i>	IV.	48	xii.	1843
<i>Zosterops albogularis</i> . . .	Suppl.	46	iii.	1859
— <i>chloronotus</i>	IV.	82	xi.	1843
— <i>dorsalis</i>	IV.	81	xi.	1843
— <i>luteus</i>	IV.	83	xi.	1843
— <i>strenuus</i>	Suppl.	48	ii.	1855
— <i>tenuirostris</i>	Suppl.	47	iii.	1859
— <i>tephropleurus</i>	Suppl.	49	ii.	1855

A Monograph of the Trochilidæ, or Humming-Birds.

Dedicated with permission to HER ROYAL HIGHNESS, THE PRINCESS ROYAL OF ENGLAND. By JOHN GOULD, F.R.S. &c. 5 Vols. Folio. London, 1861.

[Published in 25 Parts, 1849-61. Part XXV. (September 1861) contains:—Titles for Five Volumes; Dedication; List of Subscribers; Preface; Introduction; Explanation of the Abbreviations and List of Authors and Works referred to; List of Generic and Specific Names adopted; Index of Generic Names adopted; List of Specific Names of Humming-Birds; Lists of Plates for Five Volumes.

Supplement to the Trochilidæ, or Humming-Birds.

Parts I.-IV. Folio. London, 1880-85.

[Not yet completed; the text continued by R. BOWDLER SHARPE.]

	Vol.	Plate.	Part.	Date.
<i>Adelomyia castaneiventris</i> .	III.	203	x.	1855
— <i>cervina</i>	Suppl.	Not fig ^d	iv.	1885
— <i>chlorospila</i>	Suppl.	Not fig ^d	iv.	1885
— <i>floriceps</i>	III.	202	ix.	1855
— <i>inornata</i>	III.	197	xi.	1856
— <i>maculata</i>	III.	199	xxiv.	1861
— <i>melanogenys</i>	III.	198	ix.	1855
<i>Aglæactis castelneau</i>	III.	180	xiii.	1857
— <i>caumatonota</i>	Suppl.		i.	1880
— <i>cupreipennis</i>	III.	179	xii.	1856
— <i>pamela</i>	III.	181	xii.	1856
<i>Agyrtia apicalis</i>	Suppl.	Not fig ^d	iv.	1885
— <i>bartletti</i>	Suppl.		iv.	1885
— <i>cæruleiceps</i>	Suppl.	Not fig ^d	iv.	1885
— <i>compsa</i>	Suppl.	Not fig ^d	iv.	1885
— <i>fluviatilis</i>	Suppl.		iv.	1885
— <i>luciae</i>	Suppl.	Not fig ^d	iv.	1885

	Vol.	Plate.	Part.	Date.
<i>Agyrtria maculicauda</i>	Suppl.	Not fig ^d	iv.	1885
— <i>neglecta</i>	Suppl.	Not fig ^d	iv.	1885
— <i>nigricauda</i>	Suppl.	Not fig ^d	iv.	1885
— <i>nitidicauda</i>	Suppl.	Not fig ^d	iv.	1885
— <i>taczanowskii</i>	Suppl.		iv.	1885
<i>Amazilia alticola</i>	V.	304	xxiii.	1861
— <i>beryllina</i>	V.	312	xxii.	1861
— <i>castaneiventris</i>	V.	310	xxiii.	1861
— <i>cerviniventris</i>	V.	309	xiii.	1857
— <i>corallirostris</i>	V.	307	xiii.	1857
— <i>cyanura</i>	V.	315	xviii.	1859
— <i>devillei</i>	V.	313	xix.	1860
— <i>dumerili</i>	V.	305	xviii.	1859
— <i>leucophæa</i>	V.	306	xviii.	1859
— <i>ocai</i>	V.	289	xxii.	1861
— <i>pristina</i>	V.	303	xiii.	1857
— <i>riefferi</i>	V.	311	xix.	1860
— <i>viridigaster</i>	V.	314	xx.	1860
— <i>yucatanensis</i>	V.	308	xxiii.	1861
<i>Androdon æquatorialis</i>	Suppl.		ii.	1881
<i>Aphantochroa cirrhochloris</i>	II.	54	vi.	1853
— <i>gularis</i>	II.	55	xxi.	1861
— <i>hyposticta</i>	Suppl.		iii.	1883
<i>Arinia boucardi</i>	Suppl.	Not fig ^d	iv.	1885
<i>Atthis ellioti</i>	Suppl.	Not fig ^d	iii.	1883
<i>Augastes lumachellus</i>	IV.	222	i.	1849
— <i>scutatus</i>	IV.	221	i.	1849
<i>Avocettinus eurypterus</i>	III.	200	xi.	1856
<i>Avocettula recurvirostris</i>	III.	201	xi.	1856
<i>Bourcieria conradi</i>	IV.	253	xviii.	1859
— <i>fulgidigula</i>	IV.	252	vii.	1854
— <i>inca</i>	IV.	254	vii.	1854
— <i>torquata</i>	IV.	251	vii.	1854
<i>Calliphlox amethystina</i>	III.	159	xii.	1856
— <i>mittelli</i>	III.	160	xix.	1860
<i>Calothorax calliope</i>	III.	142	xiv.	1857
— <i>cyanopogon</i>	III.	143	xiv.	1857
— <i>decoratus</i>	III.	146	xxiv.	1861
— <i>fanny</i>	III.	151	xii.	1856
— <i>heliodori</i>	III.	147	ii.	1851
— <i>jourdani</i>	III.	150	xxi.	1861
— <i>micrurus</i>	III.	148	vii.	1854
— <i>mulsanti</i>	III.	145	ii.	1851

	Vol.	Plate.	Part.	Date.
<i>Calothôrax pulchra</i> . . .	III.	144	xix.	1860
— <i>rosæ</i>	III.	149	xiv.	1857
— <i>yarrelli</i>	III.	152	iii.	1852
<i>Calypte annæ</i>	III.	135	xi.	1856
— <i>costæ</i>	III.	134	xi.	1856
— <i>helenæ</i>	III.	136	xi.	1856
<i>Campylopterus cuvieri</i> . .	II.	52	xii.	1856
— <i>delattrei</i>	II.	45	x.	1855
— <i>ensipennis</i>	II.	46	xiv.	1857
— <i>hyperythrus</i>	II.	51	iii.	1852
— <i>latipennis</i>	II.	48	xix.	1860
— <i>lazulus</i>	II.	44	xii.	1856
— <i>obscurus</i>	II.	49	xix.	1860
— <i>pampa</i>	II.	43	x.	1855
— <i>phainopeplus</i>	Suppl.		iv.	1885
— <i>roberti</i>	II.	53	xxiii.	1861
— <i>rufus</i>	II.	50	iii.	1852
— <i>villavicencio</i>	II.	47	xvii.	1859
<i>Cephalepis delalandi</i> . . .	IV.	208	viii.	1854
— <i>loddigesi</i>	IV.	209	viii.	1854
<i>Chætocercus bombus</i> . . .	Suppl.		ii.	1881
<i>Chalybura isauræ</i>	Suppl.	Not fig ^d	iv.	1885
<i>Chlorostilbon aliciae</i> . . .	V.	357	xx.	1860
— <i>atala</i>	V.	356	xx.	1860
— <i>augustipennis</i>	V.	353	xxi.	1861
— <i>auriceps</i>	V.	350	xiii.	1857
— <i>caniveti</i>	V.	351	xix.	1860
— <i>osberti</i>	V.	352	xxii.	1861
— <i>phaëthon</i>	V.	354	xxii.	1861
— <i>poortmanni</i>	V.	358	xx.	1860
— <i>prasinus</i>	V.	355	v.	1853
<i>Chrysobronchus virescens</i> .	IV.	230	xvi.	1858
— <i>viridicaudus</i>	IV.	231	xvi.	1858
<i>Chrysolampis moschitus</i> . .	IV.	204	xii.	1856
<i>Chrysuronia chrysura</i> . . .	V.	329	xix.	1860
— <i>eliciae</i>	V.	328	xvi.	1858
— <i>humboldti</i>	V.	327	xvii.	1859
— <i>josephinæ</i>	V.	326	xvii.	1859
— <i>œnone</i>	V.	325	xvii.	1859
<i>Circe doubledayi</i>	V.	339	xx.	1860
— <i>latirostris</i>	V.	338	xiii.	1857
<i>Clytolæma aurescens</i> . . .	IV.	250	xxi.	1861
— <i>rubinea</i>	IV.	249	vi.	1853

	Vol.	Plate.	Part.	Date.
<i>Coeligena hemileuca</i>	Suppl.		iv.	1885
— <i>prunelli</i>	IV.	257	xiv.	1857
— <i>purpurea</i>	IV.	256	viii.	1854
— <i>typica</i>	IV.	255	viii.	1854
— <i>wilsoni</i>	IV.	258	xi.	1856
<i>Cometes caroli</i>	III.	177	xxii.	1861
— <i>glyceria</i>	III.	176	xv.	1858
— <i>phaon</i>	III.	175	iv.	1852
— <i>sparganurus</i>	III.	174	iv.	1852
<i>Cyanomyia cyanocephala</i>	V.	286	xi.	1856
— <i>cyanocollis</i>	V.	288	xx.	1860
— <i>franciæ</i>	V.	287	xx.	1860
— <i>quadricolor</i>	V.	284	ix.	1855
— <i>violiceps</i>	V.	285	xx.	1860
<i>Cynanthus bolivianus</i>	Suppl.		i.	1880
— <i>cyanurus</i>	III.	172	iii.	1852
— <i>smaragdicaudus</i>	III.	173	iii.	1852
<i>Damophila amabilis</i>	V.	341	xviii.	1859
<i>Delattia clemenciæ</i>	II.	60	ix.	1855
— <i>henrica</i>	II.	62	viii.	1854
— <i>viridipallens</i>	II.	63	ix.	1855
<i>Diphlogæna aurora</i>	IV.	248	xxiii.	1861
— — — — —	Suppl.		iv.	1885
— <i>hesperus</i>	Suppl.		iv.	1885
— <i>iris</i>	IV.	247	viii.	1854
<i>Discura longicauda</i>	III.	126	xvi.	1858
<i>Docimastes ensiferus</i>	IV.	233	i.	1849
<i>Doricha bryantæ</i>	Suppl.		ii.	1881
— <i>lyrura</i>	Suppl.		ii.	1881
<i>Dorifera euphrosinæ</i>	Suppl.	Not fig ^d	iii.	1883
— <i>johannæ</i>	II.	87	vi.	1853
— <i>ludovicæ</i>	II.	88	vi.	1853
— <i>rectirostris</i>	Suppl.	Not fig ^d	iii.	1883
— <i>veraguensis</i>	Suppl.		iii.	1883
<i>Elvira cupreiceps</i>	Suppl.		i.	1880
<i>Eriocnemis alinæ</i>	IV.	280	xvii.	1859
— <i>assimilis</i>	Suppl.	Not fig ^d	iii.	1883
— <i>aureliæ</i>	IV.	283	x.	1855
— <i>chrysorama</i>	Suppl.	Not fig ^d	iii.	1883
— <i>cupreiventris</i>	IV.	270	vi.	1853
— <i>derbianus</i>	IV.	279	xv.	1858
— <i>d'orbignyi</i>	IV.	278	xxiii.	1861
— <i>dyselius</i>	Suppl.	Not fig ^d	iii.	1883

	Vol.	Plate.	Part.	Date.
<i>Eriocnemis godini</i>	IV.	277	xxii.	1861
— <i>isaacsoni</i>	IV.	272	xv.	1858
— <i>luciani</i>	IV.	273	vi.	1853
— <i>lugens</i>	IV.	282	viii.	1854
— <i>mosquera</i>	IV.	274	vi.	1853
— <i>nigrivestis</i>	IV.	276	xv.	1858
— <i>sapphiropygia</i>	Suppl.		iii.	1883
— <i>simplex</i>	IV.	271	iii.	1852
— <i>smaragdinipectus</i>	Suppl.	Not fig ^d	iii.	1883
— <i>squamata</i>	IV.	281	xxi.	1861
— <i>vestita</i>	IV.	275	xvii.	1859
<i>Erythronota antiqua</i>	V.	316	xix.	1860
— <i>edwardi</i>	V.	318	xv.	1858
— <i>elegans</i>	V.	320	xxiv.	1861
— <i>feliciæ</i>	V.	317	xxiv.	1861
— <i>niveiventris</i>	V.	219	xv.	1858
— <i>saucerottei</i>	V.	321	xxiii.	1861
— <i>sophiæ</i>	V.	322	xxii.	1861
<i>Eucephala cærulea</i>	V.	335	xiv.	1857
— <i>cæruleo-lavata</i>	V.	333	xxii.	1861
— <i>chlorocephala</i>	V.	332	xxii.	1861
— <i>cyanogenys</i>	Suppl.	Not fig ^d	iii.	1883
— <i>grayi</i>	V.	330	xiv.	1857
— <i>hypocyanea</i>	V.	334	xxii.	1861
— <i>pyropygia</i>	Suppl.	Not fig ^d	iii.	1883
— <i>scapulata</i>	Suppl.	Not fig ^d	iii.	1883
— <i>smaragdo-cærulea</i>	V.	331	xxii.	1861
— <i>subcærulea</i>	Suppl.	Not fig ^d	iii.	1883
<i>Eugenes fulgens</i>	II.	59	xii.	1856
— <i>spectabilis</i>	Suppl.		iv.	1885
<i>Eugenia imperatrix</i>	IV.	234	xi.	1856
<i>Eulampis chlorolæmus</i>	II.	84	xiv.	1857
— <i>holosericeus</i>	II.	83	xiv.	1857
— <i>jugularis</i>	II.	82	xiv.	1857
<i>Eupetomena hirundinacea</i>	II.	42	vi.	1853
— <i>hirundo</i>	Suppl.		iii.	1883
<i>Eupherusa egregia</i>	Suppl.	Not fig ^d	iv.	1885
— <i>eximia</i>	V.	324	xiv.	1857
— <i>poliocerca</i>	Suppl.		ii.	1881
<i>Eustephanus fernandensis</i>	IV.	267	vii.	1854
— —	Suppl.		ii.	1881
— <i>galeritus</i>	IV.	265	iii.	1852
— <i>leyboldi</i>	Suppl.		ii.	1881

	Vol.	Plate.	Part.	Date.
<i>Eustephanus stokesi</i>	IV.	266	vii.	1854
<i>Eutoxeres aquila</i>	I.	3	ii.	1851
— <i>condamini</i>	I.	4	ii.	1851
— <i>heterura</i>	Suppl.	Not fig ^d	iii.	1883
— <i>salvini</i>	Suppl.	Not fig ^d	iii.	1883
<i>Florisuga atra</i>	II.	115	ii.	1851
— <i>flabellifera</i>	II.	114	ii.	1851
— <i>mellivora</i>	II.	113	ii.	1851
<i>Glaucis affinis</i>	I.	7	xxiv.	1861
— <i>dohrni</i>	I.	10	ix.	1855
— <i>fraseri</i>	I.	12	xxiv.	1861
— <i>hirsuta</i>	I.	5	xi.	1856
— <i>lanceolata</i>	I.	8	xxiv.	1861
— <i>mazeppa</i>	I.	6	xxiv.	1861
— <i>melanura</i>	I.	9	xxii.	1861
— <i>ruckeri</i>	I.	11	ii.	1851
<i>Gouldia conversi</i>	III.	129	vii.	1854
— <i>lætitiae</i>	III.	130	x.	1855
— <i>langsдорffi</i>	III.	128	vii.	1854
— <i>popelairi</i>	III.	127	vii.	1854
<i>Grypus nævius</i>	I.	1	iii.	1852
— <i>spixi</i>	I.	2	xxii.	1861
<i>Heliactin cornuta</i>	IV.	212	xi.	1856
<i>Heliangelus amethysticollis</i> .	IV.	245	ix.	1855
— <i>clarissæ</i>	IV.	242	ix.	1855
— <i>mavors</i>	IV.	246	ix.	1855
— <i>micrastur</i>	Suppl.		iii.	1883
— <i>spencei</i>	IV.	244	ix.	1855
— <i>strophianus</i>	IV.	243	ix.	1855
<i>Helianthea bonapartei</i> . . .	IV.	236	viii.	1854
— <i>dichrourea</i>	Suppl.		ii.	1881
— <i>eos</i>	IV.	237	x.	1855
— <i>lutetiæ</i>	IV.	238	xiii.	1857
— <i>typica</i>	IV.	235	viii.	1854
— <i>violifera</i>	IV.	239	x.	1855
<i>Heliodoxa jacula</i>	II.	94	xvi.	1858
— <i>jamesoni</i>	II.	95	xxi.	1861
— <i>leadbeateri</i>	II.	97	xx.	1860
— <i>otero</i>	II.	96	xx.	1860
<i>Heliomaster albicrissa</i> . . .	Suppl.	Not fig ^d	iv.	1885
— <i>angelæ</i>	IV.	263	v.	1853
— <i>constanti</i>	IV.	260	v.	1853
— <i>longirostris</i>	IV.	259	v.	1853

	Vol.	Plate.	Part.	Date.
<i>Helioſter mesoleucus</i> . .	IV.	262	v.	1853
— <i>pinicola</i>	IV.	261	v.	1853
<i>Helioſter melanoſis</i> . .	II.	64	xv.	1858
— <i>xantusi</i>	II.	65	xxi.	1861
<i>Heliothrix auriculatus</i> . .	IV.	214	vi.	1853
— <i>auritus</i>	IV.	213	vi.	1853
— <i>barroſi</i>	IV.	217	vi.	1853
— <i>phainolaema</i>	IV.	215	xvii.	1859
— <i>purpureiceps</i>	IV.	216	xvii.	1859
<i>Heliothrypha parzudaki</i> . .	IV.	240	xix.	1860
— <i>viola</i>	IV.	241	v.	1853
<i>Hylocharis cyanea</i>	V.	344	iii.	1852
— <i>lactea</i>	V.	343	xviii.	1859
— <i>sapphirina</i>	V.	342	iii.	1852
<i>Hylonympha macrocerca</i> .	Suppl.		i.	1880
<i>Hypuroptila buffoni</i> . . .	II.	89	vii.	1854
— <i>cæruleigaster</i>	II.	91	vii.	1854
— <i>melanorrhœa</i>	Suppl.		ii.	1881
— <i>urochryſia</i>	II.	90	xxii.	1861
<i>Ionolaima frontaliſis</i> . . .	II.	92	xviii.	1859
— <i>ſchreiberi</i>	II.	93	xiii.	1857
* — <i>whitelyana</i>	Suppl.		iii.	1883
<i>Juliamyia typica</i>	V.	337	xviii.	1859
<i>Klais guimeti</i>	IV.	210	xiv.	1857
<i>Lafreſnaya flavicaudata</i> . .	II.	85	xiii.	1857
— <i>gayi</i>	II.	86	xiii.	1857
<i>Lampornis aurulentus</i> . . .	II.	79	xv.	1858
— <i>caloſoma</i>	Suppl.		i.	1880
— <i>gramineus</i>	II.	77	xv.	1858
— <i>mango</i>	II.	74	xii.	1856
— <i>porphyurus</i>	II.	81	xv.	1858
— <i>prevosti</i>	II.	75	xv.	1858
— <i>veraguensis</i>	II.	76	xv.	1858
— <i>virginalis</i>	II.	80	xxiv.	1861
— <i>viridis</i>	II.	78	xxi.	1861
<i>Lamprolaima rhami</i>	II.	61	xi.	1856
<i>Lesbia amaryllis</i>	III.	170	vii.	1854
— <i>chlorura</i>	Suppl.	Not fig ^d	iii.	1883
— <i>eucharis</i>	III.	171	xx.	1860
— <i>gouldi</i>	III.	167	xii.	1856
— <i>gracilis</i>	III.	168	xx.	1860
— <i>nuna</i>	III.	169	xx.	1860
<i>Leucippus chionogaster</i> . .	V.	290	ix.	1855

	Vol.	Plate.	Part.	Date.
<i>Leucippus fallax</i>	II.	56	xii.	1856
<i>Leucochloris albicollis</i> . .	V.	291	x.	1855
<i>Loddigesia mirabilis</i> . . .	III.	161	xxiii.	1861
<i>Lophornis adorabilis</i> . . .	Suppl.		i.	1880
— <i>chalybeus</i>	III.	124	iii.	1852
— <i>delattrei</i>	III.	121	xxiv.	1861
— <i>gouldi</i>	III.	118	x.	1855
— <i>helenæ</i>	III.	123	x.	1855
— <i>magnificus</i>	III.	119	x.	1855
— <i>ornatus</i>	III.	117	x.	1855
— <i>reginæ</i>	III.	122	x.	1855
— <i>regulus</i>	III.	120	x.	1855
— <i>verreauxi</i>	III.	125	xx.	1860
<i>Mellisuga minima</i>	III.	133	ii.	1851
<i>Metallura æneicauda</i> . . .	III.	192	xvii.	1859
— <i>cupreicauda</i>	III.	191	xvii.	1859
— <i>primolinus</i>	III.	194	xxiii.	1861
— <i>smaragdnicollis</i>	III.	196	xvii.	1859
— <i>tyrianthina</i>	III.	195	xvii.	1859
— <i>williami</i>	III.	193	xvii.	1859
<i>Microchera albocoronata</i> .	II.	116	xvi.	1858
— <i>parvirostris</i>	Suppl.		i.	1880
<i>Myiabeillia typica</i>	IV.	211	viii.	1854
<i>Oreonympha nobilis</i>	Suppl.		i.	1880
<i>Oreopyra calolæma</i>	Suppl.		iv.	1885
— <i>cinereicauda</i>	Suppl.		iv.	1885
— <i>leucaspis</i>	IV.	264	xxi.	1861
— —	Suppl.	Not fig ^d	iv.	1885
<i>Oreotrochilus adelæ</i>	II.	73	i.	1849
— <i>chimborazo</i>	II.	68	ii.	1851
— <i>estella</i>	II.	70	i.	1849
— <i>leucopleurus</i>	II.	71	i.	1849
— <i>melanogaster</i>	II.	72	xviii.	1859
— <i>pichincha</i>	II.	69	ii.	1851
<i>Orthorhynchus cristatus</i> .	IV.	205	xiii.	1857
— <i>exilis</i>	IV.	207	xiii.	1857
— <i>ornatus</i>	IV.	206	xxiv.	1861
<i>Oxypogon cyanolæmus</i> . .	Suppl.		iii.	1883
— <i>guerinii</i>	III.	182	i.	1849
— <i>lindenii</i>	III.	183	i.	1849
<i>Panoplites flavescens</i> . . .	II.	111	viii.	1854
— <i>jardini</i>	II.	110	viii.	1854
— <i>matthewsi</i>	II.	112	viii.	1854

	Vol.	Plate.	Part.	Date.
<i>Panterpe insignis</i>	V.	336	xxi.	1861
<i>Panychlora russata</i>	Suppl.		iii.	1883
— <i>stenura</i>	Suppl.		iii.	1883
<i>Patagona gigas</i>	IV.	232	ix.	1855
<i>Petasophora anais</i>	IV.	224	v.	1853
— <i>coruscans</i>	IV.	226	v.	1853
— <i>cyanotis</i>	IV.	228	v.	1853
— <i>delphinae</i>	IV.	229	v.	1853
— <i>iolata</i>	IV.	225	v.	1853
— <i>serrirostris</i>	IV.	223	v.	1853
— <i>thalassina</i>	IV.	227	v.	1853
<i>Phæolæma æquatorialis</i> . .	IV.	269	xix.	1860
— <i>rubinoïdes</i>	IV.	268	xvi.	1858
<i>Phæoptila sordida</i>	V.	340	xxii.	1861
<i>Phaëthornis adolphi</i>	I.	35	xiv.	1857
— <i>amaura</i>	I.	32	xvii.	1859
— <i>anthophilus</i>	I.	24	vii.	1854
— <i>augusti</i>	I.	29	vii.	1854
— <i>bourcierii</i>	I.	25	v.	1853
— <i>cephalus</i>	I.	19	xvi.	1858
— <i>episcopus</i>	I.	39	xviii.	1859
— <i>eremita</i>	I.	40	i.	1849
— <i>eurynome</i>	I.	16	i.	1849
— <i>fraterculus</i>	I.	18	xxiii.	1861
— <i>griseogularis</i>	I.	36	ii.	1851
— <i>guyi</i>	I.	26	iv.	1852
— <i>hispidus</i>	I.	22	iv.	1852
— <i>intermedius</i>	I.	30	vi.	1853
— <i>longuemareus</i>	I.	31	xiv.	1857
— <i>nigricinctus</i>	I.	39	xviii.	1859
— <i>obscura</i>	I.	38	xv.	1858
— <i>oseryi</i>	I.	23	xviii.	1859
— <i>philippi</i>	I.	21	x.	1855
— <i>pretrei</i>	I.	28	vii.	1854
— <i>pygmæus</i>	I.	41	iv.	1852
— <i>striigularis</i>	I.	37	viii.	1854
— <i>superciliosus</i>	I.	17	xvi.	1858
— <i>syrmatophorus</i>	I.	20	iv.	1852
— <i>viridicaudata</i>	I.	33	xv.	1858
— <i>yaruqui</i>	I.	27	iv.	1852
— <i>zonura</i>	I.	34	xxiii.	1861
<i>Phlogophilus hemileucurus</i> .	V.	360	xxiv.	1861
<i>Pinarolæma buckleyi</i> . . .	Suppl.		i.	1880

	Vol.	Plate.	Part.	Date.
<i>Pterophanes temmincki</i> . . .	III.	178	i.	1849
* <i>Ramphomicron dorsale</i> . . .	Suppl.		iii.	1883
— <i>herrani</i>	III.	187	iv.	1852
— <i>heteropogon</i>	III.	184	iv.	1852
— <i>microrhyncha</i>	III.	189	iv.	1852
*— <i>olivaceum</i>	Suppl.		iii.	1883
— <i>ruficeps</i>	III.	188	iv.	1852
— <i>stanleyi</i>	III.	185	iv.	1852
— <i>vulcani</i>	III.	186	xxiii.	1861
<i>Rhodopsis vespera</i>	III.	154	xi.	1856
<i>Sapphironia caruleogularis</i> . .	V.	346	xix.	1860
— <i>goudoti</i>	V.	345	xix.	1860
— <i>luminosa</i>	Suppl.	Not fig ^d	iv.	1885
<i>Saucerottia cyanifrons</i> . . .	V.	323	xii.	1856
<i>Schistes albogularis</i>	IV.	220	vi.	1853
— <i>geoffroyi</i>	IV.	218	vi.	1853
— <i>personatus</i>	IV.	219	xxiii.	1861
<i>Selasphorus ardens</i>	Suppl.		iii.	1883
— <i>flammula</i>	Suppl.		iii.	1883
— <i>floresii</i>	III.	139	xxiii.	1861
— <i>heloisæ</i>	III.	141	viii.	1854
— <i>henshawi</i>	Suppl.	Not fig ^d	iii.	1883
— <i>platycercus</i>	III.	140	iii.	1852
— <i>rufus</i>	III.	137	iii.	1852
— <i>scintilla</i>	III.	138	iii.	1852
— <i>torridus</i>	Suppl.	Not fig ^d	iii.	1883
<i>Smaragdochrysis iridescens</i> .	V.	359	xxiv.	1861
<i>Sparganura glyceria</i>	Suppl.		i.	1880
<i>Spathura cissiura</i>	III.	166	xix.	1860
— <i>melananthera</i>	III.	163	xviii.	1859
— <i>peruana</i>	III.	164	i.	1849
— <i>rufocaligata</i>	III.	165	i.	1849
— <i>solstitialis</i>	Suppl.		ii.	1881
— <i>underwoodi</i>	III.	162	i.	1849
<i>Sporadinus elegans</i>	V.	347	xvii.	1859
— <i>maugæi</i>	V.	349	xxiv.	1861
— <i>ricordi</i>	V.	348	xx.	1860
<i>Sternoclyta cyaneipectus</i> . .	II.	58	xvi.	1858
<i>Thalurania colombica</i> . . .	II.	106	xvi.	1858
— <i>eryphile</i>	II.	108	xvi.	1858
— <i>furcata</i>	II.	101	xvi.	1858
— <i>glaucoptis</i>	II.	99	xi.	1856
— <i>hypochlora</i>	Suppl.		i.	1880

* Correctly spelt *Ramphomicron*.

	Vol.	Plate.	Part.	Date.
<i>Thalurania nigrofasciata</i>	II.	104	xxi.	1861
— <i>refulgens</i>	II.	102	xxi.	1861
— <i>tschudi</i>	II.	103	xxi.	1861
— <i>venusta</i>	II.	105	xvi.	1858
— <i>verticeps</i>	II.	107	xvi.	1858
— <i>wagleri</i>	II.	109	xiii.	1857
— <i>watertoni</i>	II.	100	xi.	1856
<i>Thaumastura cora</i>	III.	153	xiii.	1857
— <i>elisæ</i>	III.	155	xiii.	1857
— <i>enicura</i>	III.	157	iv.	1852
— <i>evelinæ</i>	III.	156	xxi.	1861
<i>Thaumatias affinis</i>	V.	299	ix.	1855
— <i>albiventris</i>	V.	301	xii.	1856
— <i>brevirostris</i>	V.	298	ix.	1855
— <i>candidus</i>	V.	292	xix.	1860
— <i>chionopectus</i>	V.	293	xviii.	1859
— <i>chionurus</i>	V.	300	iii.	1852
— <i>leucogaster</i>	V.	294	xviii.	1859
— <i>linnæi</i>	V.	302	xii.	1856
— <i>milleri</i>	V.	296	xviii.	1859
— <i>nitidifrons</i>	V.	297	xxiii.	1861
— <i>viridiceps</i>	V.	295	xxii.	1861
<i>Threnetes antoniæ</i>	I.	15	iv.	1852
— <i>cervinicauda</i>	I.	14	xxiv.	1861
— <i>leucurus</i>	I.	13	iv.	1852
<i>Timolia lerchi</i>	Suppl.		iv.	1885
<i>Topaza pella</i>	II.	66	ii.	1851
— <i>pyra</i>	II.	67	ii.	1851
<i>Trochilus alexandri</i>	III.	132	xiv.	1857
— <i>colubris</i>	III.	131	xv.	1858
— <i>polytmus</i>	II.	98	i.	1849
<i>Tryphæna dupontii</i>	III.	158	i.	1849
<i>Uranomitra microrhyncha</i>	Suppl.	Not fig ^d	iv.	1885
— <i>viridifrons</i>	Suppl.		iv.	1885
<i>Urochroa bougueri</i>	II.	57	xii.	1856
<i>Urosticte benjamini</i>	III.	190	vi.	1853
— <i>ruficrissa</i>	Suppl.		iii.	1883
<i>Zodalia ortonii</i>	Suppl.		i.	1880

A Monograph of the Odontophorinæ, or Partridges of America. Dedicated to HIS HIGHNESS CHARLES LUCIEN BONAPARTE, PRINCE OF CANINO AND MUSIGNANO. By JOHN GOULD, F.R.S. &c. 1 Vol. Folio. London, 1850.

[Published in 3 Parts, 1844-50. Part III. contains Title ; Dedication ; List of Subscribers ; Preface ; Introduction ; Lists of Plates to Parts I. to III. ; and 12 Plates.]

	Plate.	Part.	Date.
<i>Callipepla californica</i>	16	i.	1844
— <i>elegans</i>	18	i.	1844
— <i>gambelii</i>	17	iii.	1850
— <i>picta</i>	15	i.	1844
— <i>squamata</i>	19	i.	1844
<i>Cyrtonyx massena</i>	7	i.	1844
— <i>ocellatus</i>	8	ii.	1846
<i>Dendrortyx barbatus</i>	22	ii.	1846
— <i>leucophrys</i>	21	ii.	1846
— <i>macrourus</i>	20	i.	1844
<i>Euspychortyx cristatus</i>	9	ii.	1846
— <i>leucopogon</i>	13	iii.	1850
— <i>leucotis</i>	10	i.	1844
— <i>parvicristatus</i>	12	ii.	1846
— <i>sonnini</i>	11	iii.	1850
<i>Odontophorus balliviani</i>	29	iii.	1850
— <i>columbianus</i>	30	iii.	1850
— <i>dentatus</i>	26	ii.	1846
— <i>guianensis</i>	23	i.	1844
— <i>guttatus</i>	28	ii.	1846
— <i>lineolatus</i>	32	iii.	1850
— <i>pachyrhynchus</i>	24	iii.	1850
— <i>speciosus</i>	25	iii.	1850
— <i>stellatus</i>	27	ii.	1846
— <i>strophium</i>	31	i.	1844

	Plate.	Part.	Date.
<i>Ortyx castaneus</i>	3	iii.	1850
— <i>coyolcos</i>	6	iii.	1850
— <i>cubanensis</i>	2	iii.	1850
— <i>nigrogularis</i>	4	ii.	1846
— <i>pectoralis</i>	5	iii.	1850
— <i>virginianus</i>	1	i.	1844
<i>Philortyx fasciatus</i>	14	ii.	1846


family 1.


A Monograph of the Trogonidæ, or Trogons. By
JOHN GOULD, F.R.S. &c. [Revised edition.]
Folio. London, 1875.

[Published in 4 Parts, 1858-75. Part IV. contains 10
Plates; Title; Dedication; Preface; Introduction; Synopsis
of the Species; List of Plates.]

	Plate.	Part.	Date.
Euptilotis neoxenus	6	i.	1858
Hapaloderma constantia	35	iii.	1875
—— narina	34	iii.	1875
Harpactes ardens	39	ii.	1869
—— diardi	36	iii.	1875
—— duvauceli	40	i.	1858
—— erythrocephalus	43	iv.	1875
—— fasciatus	38	iii.	1875
—— hodgsoni	42	ii.	1869
—— kasumba	37	ii.	1869
—— mackloti	45	ii.	1869
—— oreskios	46	ii.	1869
—— reinwardti	44	ii.	1869
—— rutilus	41	i.	1858
Pharomacrus antisianus	2	i.	1858
—— auriceps	4	i.	1858
—— —— (<i>immature male</i>)	4 a	iv.	1875
—— fulgidus	3	i.	1858
—— mocinno	1	iii.	1875
—— pavoninus	5	ii.	1869
Prionotelus temnurus	33	ii.	1869
Troctes massenæ	31	ii.	1869
Trogon ambiguus	8	i.	1858
—— atricollis	14	iv.	1875
—— aurantiiventris	12	i.	1858
—— aurantius	24	ii.	1869
—— bairdi	23	iii.	1875
—— behni	20	iv.	1875
—— caligatus	16	i.	1858

	Plate.	Part.	Date.
<i>Trogon chionurus</i>	22	iii.	1875
— <i>citreolus</i>	26	iv.	1875
— <i>clathratus</i>	28	iii.	1875
— <i>collaris</i>	13	iv.	1875
— <i>elegans</i>	9	ii.	1869
— <i>macrurus</i>	30	iv.	1875
— <i>melanocephalus</i>	27	i.	1858
— <i>melanurus</i>	29	iii.	1875
— <i>meridionalis</i>	17	iv.	1875
— <i>mexicanus</i>	7	iii.	1875
— <i>personatus</i>	10	iii.	1875
— <i>puella</i>	11	i.	1858
— <i>ramonianus</i>	18	i.	1858
— <i>roseigaster</i>	32	i.	1858
— <i>surucua</i>	25	ii.	1869
— <i>tenellus</i>	15	iv.	1875
— <i>variegatus</i>	19	iv.	1875
— <i>viridis</i>	21	ii.	1869





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00182195 8

nhbird QL674 D23

The dates of publication of some of the